



6	Slim LED Panel Office Luminaires	
8	Recessed Mounted Office Luminaires	
11	Surface Mounted Backlight Office Luminaires	
12	Recessed & Surface Mounted Office Luminaires	
14	Recessed Mounted Architectural Office Luminaires	
15	Sterile Environment & Hospital Luminaires	
16	Recta Linear Luminaires	
17	Surface Mounted Architectural Office Luminaires	
18	Decorative Pendant Luminaires	
20	Recessed Mounted Slim LED Downlights	
21	Recessed & Surface Mounted Slim LED Downlight Luminaires	
22	Recessed Mounted Backlight LED Downlight Luminaires	
24	LED Spot Luminaires	



25	LED Track Spot Luminaires	
26	LED Appliques	
27	LED Ceiling Luminaires	
28	IP66 Ceiling Luminaires	
29	IP66/44 Ceiling & Globe Luminaires	
30	Sensors	
32	Luminaires with Sensor	
33	Batten Luminaires	
34	Batten Luminaires	
36	Waterproof Luminaires	
39	Emergency Lighting Luminaires	
40	Emergency Exit Luminaires	
42	School Type Luminaires	



43	Pendant Highbay Luminaires	
44	Highbay Luminaires	
46	Canopy Luminaires	
47	Ex-Proof Luminaires	
47	Wallwashers	
50	LED Floodlights	
54	Floodlights	
56	LED Road & Street Luminaires	
58	Road & Street Luminaires	
61	Park and Garden Luminaires	
63	LED Park and Garden Pole Luminaires	
69	Park and Garden Pole Luminaires	
70	Park and Garden Luminaire Sets	



72	Grass Luminaires			
73	Outdoor Appliques			
74	Recessed Wall Appliques & Pool Luminaires			
75	Recessed Floor Luminaires			
76	Lamps			
80	LED Strips and Drivers			
81	LED Bar and Drivers			
82	LED Drivers			
83	Ballasts and Emergency Lighting Kits			
84	Components			
85	Electric Panels			
86	Switches and Sockets			
94	Group Sockets			



Pelsan Office Luminaires

Mioled 36W
60x60 Recessed Mounted

IP 40 ☺

Code No	Specifications	Pcs/Pack
5615 8160	Mioled 36W 60X60 4000K	5
5615 8170	Mioled 36W 60X60 6500K	5

Mioled 36W
60x60 Clip-in

IP 40 ☺

Code No	Specifications	Pcs/Pack
5615 8380	Mioled 36W 60X60 4000K Clip-in	5
5615 8390	Mioled 36W 60X60 6500K Clip-in	5

Mioled 20W
30x30 Recessed Mounted

IP40 ☺

Code No	Specifications	Pcs/Pack
5615 8200	Mioled 20W 30X30 4000K	20
5615 8220	Mioled 20W 30X30 6500K	20

Mioled 20W
30x30 Clip-in

IP40 ☺

Code No	Specifications	Pcs/Pack
5615 8450	Mioled 20W 30x30 4000K Clip-in	20
5615 8460	Mioled 20W 30x30 6500K Clip-in	20

Mioled 36W
30x60 Recessed Mounted

IP 40 ☺

Code No	Specifications	Pcs/Pack
5615 8190	Mioled 30W 30X60 4000K	10
5615 8240	Mioled 30W 30X60 6500K	10

Mioled 40W
30x120 Recessed Mounted

IP 40 ☺

Code No	Specifications	Pcs/Pack
5615 8180	Mioled 40W 30X120 4000K	5
5615 8260	Mioled 40W 30X120 6500K	5

Emergency Lighting Kit

Code No Specifications Pcs/Pack

5913 1470	Panel Emergency Lighting Kit (fits to all type of)	
-----------	--	--

Panel Accessories

Suspension Set Application

Code No Specifications Pcs/Pack

5985 5710	Suspension Set (4Pcs)	1
5985 5730	Plaster Ceiling Set (4Pcs)	1



Office Luminaires Pelsan

Mioled Performance



For Higher Ceilings

- Mioled Performance is an ideal solution for ceilings between 3.50- 5.50 m.
- Over 110lm/W efficiency factor.

3,5 -5,5 m



Mioled Comfort



For High Eye Comfort

Mioled Comfort, prevents glare with its special diffuser and LED chips and makes you focus on your job .



Mioled Performance



110 lm/W



IP 40

Code No	Specifications	Pcs/Pack
5615 9950	Mioled Performance 36W 60X60 4000K	5
5615 9960	Mioled Performance 36W 60X60 6500K	5

Mioled Comfort



UGR<19



IP 40

Code No	Specifications	Pcs/Pack
5615 9980	Mioled Comfort 36W 60X60 4000K	5
5615 9990	Mioled Comfort 36W 60X60 6500K	5

Slim Panel Surface Mounted Frame



Code No	Specifications	Pcs/Pack
4201 085	60X60 Slim Panel Surface Mounted Frame	5
4201 086	30X30 Slim Panel Surface Mounted Frame	5
4201 087	30X60 Slim Panel Surface Mounted Frame	5
4201 088	30X120 Slim Panel Surface Mounted Frame	5



Pelsan Recessed Mounted Backlight Office Luminaires

Isoled

Affordable and Economical



Thanks to Pelsan 33W 60X60 backlight LED technology, it provides illumination equivalent to 4X18W parabolic office luminaire !

Emergency lighting option upto 3 hours

-  Customized solutions to special projects
-  Clip-in ceiling and emergency
-  Efficiency over 100lm/W
-  European driver option
-  1-10V dim and dali options

Isoled Ambiance



● Isoled Ambiance provides different coronas from different angles. It makes your office an extraordinary place to work

-  Glare control special diffuser
-  Efficiency over 100 lm/W
-  Dali, 1-10V dim and emergency kit options
-  Clip-in ceiling option
-  European driver option



Provides different coronas from different angles



IP 40

Code No	Specifications	Pcs/Pack
5615 2901	Isoled Ambiance 12W 30X30 R.M. 4000 / 6500K	5
5615 2921	Isoled Ambiance 17W 30X60 R.M. 4000 / 6500K	4
5615 2931	Isoled Ambiance 33W 60X60 R.M. 4000 / 6500K	5
5615 2951	Isoled Ambiance 42W 60X60 R.M. 4000 / 6500K	5
5615 2971	Isoled Ambiance 42W 30X120 R.M. 4000 / 6500K	4



Recessed Mounted Backlight Office Luminaires

Isoled 42w
60x60 Recessed Mounted



IP 40 ⊕



Code No	Specifications	Pcs/Pack
5615 8770	Isoled 42W 60X60 Recessed Mounted 4000/6500K	5

Isoled 42w
60x60 Clip-in



IP 40 ⊕



Code No	Specifications	Pcs/Pack
5615 8870	Isoled 42W 60X60 Clip-in 4000/6500K	5

Isoled 33w
60x60 Recessed Mounted



IP 40 ⊕



Code No	Specifications	Pcs/Pack
5615 3011	Isoled 33W 60X60 Recessed Mounted 4000/6500K	5

Isoled 33w
60x60 Clip-in



IP 40 ⊕



Code No	Specifications	Pcs/Pack
5615 3021	Isoled 33W 60X60 Clip-in 4000/6500K	5

Isoled 12w
30x30 Recessed Mounted



IP 40 ⊕



Code No	Specifications	Pcs/Pack
5615 8750	Isoled 12W 30X30 Recessed Mounted 4000/6500K	5

Isoled 12w
30x30 Clip-in




IP 40 ⊕




Code No	Specifications	Pcs/Pack
5615 8880	Isoled 12W 30X30 Clip-in 4000/6500K	5

Isoled 17w
30x60 Recessed Mounted




IP 40 ⊕




Code No	Specifications	Pcs/Pack
5615 8760	Isoled 17W 30X60 Recessed Mounted 4000/6500K	4

Isoled 33w-42w
30x120 Recessed Mounted



IP 40 ⊕



Code No	Specifications	Pcs/Pack
5615 8780	Isoled 33W 30X120 Recessed Mounted 4000/6500K	4
5615 8721	Isoled 42W 30X120 Recessed Mounted 4000/6500K	4


Isoled Accessories & Emergency Lighting Kit

Code No	Specifications	Pcs/Pack
3180 197	Isoled Plaster Ceiling Spring (4 Pcs.)	1
	Isoled Emergency Lighting Kit (fits to all type of panels)	1




Pelsan Recessed Mounted Backlight Office Luminaires

Fioled2 33w
60x60 Recessed Mounted / Clip-in




IP 40 ☺




Code No	Specifications	Pcs/Pack
5616 6541	Fioled2 33W 60X60 Recessed Mounted	4000/6500K
5616 6561	Fioled2 33W 60X60 Clip-in	4000/6500K

Seoled2 30w
60x60 Recessed Mounted / Clip-in



IP 40 ☺



Code No	Specifications	Pcs/Pack
5616 6051	Seoled2 33W 60X60 Recessed Mounted	4000/6500K
5616 6071	Seoled2 33W 60X60 Clip-in	4000/6500K

Fioled3 33w
60x60 Recessed Mounted / Clip-in




IP 40 ☺




Code No	Specifications	Pcs/Pack
5616 6581	Fioled3 33W 60X60 Recessed Mounted	4000/6500K
5616 6601	Fioled3 33W 60X60 Clip-in	4000/6500K

Seoled3 30w
60x60 Recessed Mounted / Clip-in




IP 40 ☺




Code No	Specifications	Pcs/Pack
5616 6091	Seoled3 30W 60X60 Recessed Mounted	4000/6500K
5616 6111	Seoled3 30W 60X60 Clip-in	4000/6500K

Fioled1 8w
30x30 Recessed Mounted / Clip-in




IP 40 ☺




Code No	Specifications	Pcs/Pack
5616 6621	Fioled1 8W 30X30 Recessed Mounted	4000/6500K
5616 6641	Fioled1 8W 30X30 Clip-in	4000/6500K

Seoled1 8w
30x30 Recessed Mounted / Clip-in



IP 40 ☺



Code No	Specifications	Pcs/Pack
5616 6131	Seoled1 8W 30X30 Recessed Mounted	4000/6500K
5616 6151	Seoled1 8W 30X30 Clip-in	4000/6500K

Options

Code No	Specifications	Pcs/Pack	Code No	Specifications	Pcs/Pack
3180 197	Spring for Plaster Ceiling (4pcs)	1	5913 1470	Seoled-Fioled Emergency Lighting Kit	1




Surface Mounted Backlight Office Luminaires



Code No	Specifications	Pcs/Pack
5615 3191	Dekaled 12W 30X30 S.M. 4000/6500K	4
5615 3171	Dekaled 17W 30X60 S.M. 4000/6500K	4
5615 3111	Dekaled 33W 60X60 S.M. 4000/6500K	5
5615 3131	Dekaled 42W 60x60 S.M 4000/6500K	5
5615 3141	Dekaled 33W 30X120 S.M. 4000/6500K	4




Code No	Specifications	Pcs/Pack
5615 8650	Dekoled 12W 30X30 S.M. 4000/6500K	5
5615 8660	Dekoled 17W 30X60 S.M. 4000/6500K	5
5615 8670	Dekoled 33W 60X60 S.M. 4000/6500K	5
5615 8641	Dekoled 42W 60x60 S.M 4000/6500K	5
5615 8680	Dekoled 42W 30X120 S.M. 4000/6500K	4



Code No	Specifications	Pcs/Pack
5616 6591	Fioled3 33W 60X60 S.M. 4000/6500K	4



Code No	Specifications	Pcs/Pack
5616 6101	Seoled3 30W 60X60 S.M. 4000/6500K	4



Code No	Specifications	Pcs/Pack
5616 6631	Fioled1 8W 30X30 S.M. 4000/6500K	4
5616 6671	Fioled1 17W 30X60 S.M. 4000/6500K	4
5616 6511	Fioled1 33W 60X60 S.M. 4000/6500K	4
5616 6711	Fioled1 30W 30X120 S.M. 4000/6500K	4



Code No	Specifications	Pcs/Pack
5616 6141	Seoled1 8W 30X30 S.M. 4000/6500K	4
5616 6181	Seoled1 17W 30X60 S.M. 4000/6500K	4
5616 6021	Seoled1 33W 60X60 S.M. 4000/6500K	4
5616 6221	Seoled1 30W 30X120 S.M. 4000/6500K	4



Options

Code No	Specifications	π	π	π	Pcs/Pack
5913 1470	Surface Mounted Panel Emergency Lighting Kit				1



Pelsan Recessed Mounted Office Luminaires



7 Lamella Double Parabolic

IP 20 ☺

Specifications	Pcs/Pack	Mech.bal.Code No	Elec. bal.Code
2X18W TLD	4	5014 4761	5014 4762
4X18W TLD	4	5014 4771	5014 4772
2X36W TLD	4	5014 4781	5014 4782
4X36W TLD	2	5014 4791	5014 4792



Isolamp T8

IP 20 ☺

Specifications	Pcs/Pack	Mech.bal.Code No	Elec. bal.Code
2X18W TLD	4	5014 4711	5014 4712
4X18W TLD	4	5014 4741	5014 4742
2X36W TLD	4	5014 4731	5014 4732
4X36W TLD	2	5014 4751	5014 4752



Prismatic Lens Luminaire

IP 40 ☺

Specifications	Pcs/Pack	Mech.bal.Code No	Elec. bal.Code
2X18W TLD	4	5014 1911	5014 1912
4X18W TLD	4	5014 1921	5014 1922
2X36W TLD	4	5014 1931	5014 1932
4X36W TLD	2	5014 1941	5014 1942

Opal Lens Luminaire

IP 40 ☺

Specifications	Pcs/Pack	Mech.bal.Code No	Elec. bal.Code
2X18W TLD	4	5014 6011	5014 6012
4X18W TLD	4	5014 6021	5014 6022
2X36W TLD	4	5014 6031	5014 6032
4X36W TLD	2	5014 6041	5014 6042



Isolamp T5




IP 20 ☺

Code No	Specifications	Pcs/Pack
5014 4022	2X14W T5 Elec. Bal. Recessed Mounted	6
5014 4032	3X14W T5 Elec. Bal. Recessed Mounted	6
5014 4042	4X14W T5 Elec. Bal. Recessed Mounted	6
5014 4212	2X28W T5 Elec. Bal. Recessed Mounted	4
5014 4222	3X28W T5 Elec. Bal. Recessed Mounted	2
5014 4232	4X28W T5 Elec. Bal. Recessed Mounted	2



Luxlamp T5

IP 20 ☺

Code No	Specifications	Pcs/Pack
5011 1462	2X14W T5 Elec. Recessed Mounted	6
5011 1482	4X14W T5 Elec. Recessed Mounted	6
5011 1432	2X28W T5 Elec. Recessed Mounted	4

Indirect 1 Perforated

IP 20 ☺

Code No	Specifications	Pcs/Pack
5011 1452	4X28W T5 Elec. Bal. Recessed Mounted	3
5014 8532	2X24W T5 Elec. Bal. Recessed Mounted	3

Isolamp T5 Clip-in




IP 20 ☺

Code No	Specifications	Pcs/Pack
5014 6612	2X14W T5 Elec. Bal. Clip-in	6
5014 6502	4X14W T5 Elec. Bal. Clip-in	6



Surface Mounted Office Luminaires Pelsan


Dekolamp



IP 20

Code No	Specifications	Pcs/Pack
5014 7252	2X18W TLD Elec.Bal.Surface Mounted	6
5014 7262	4X18W TLD Elec.Bal.Surface Mounted	6
5014 7272	2X36W TLD Elec.Bal.Surface Mounted	4
5014 7282	4X36W TLD Elec.Bal.Surface Mounted	2

Dekolamp Perforated Indirect Luminaires




650mm / 550mm
60mm

IP 20

Code No	Specifications	Pcs/Pack
5014 9882	2X24W T5 Elec.Bal.Surface Mounted	3
5014 9892	3X24W T5 Elec.Bal.Surface Mounted	3

Dekolamp Prismatic Lens Luminaires



IP 40

Code No	Specifications	Pcs/Pack
5014 4552	2X18W TLD Elec.Bal.Surface Mounted	6
5014 4562	4X18W TLD Elec.Bal.Surface Mounted	6
5014 4572	2X36W TLD Elec.Bal.Surface Mounted	4
5014 4582	4X36W TLD Elec.Bal.Surface Mounted	2


Dekolamp Opal Lens Luminaires



IP 40

Code No	Specifications	Pcs/Pack
5014 7382	2X18W TLD Elec.Bal.Surface Mounted	6
5014 7392	4X18W TLD Elec.Bal.Surface Mounted	6
5014 7402	2X36W TLD Elec.Bal.Surface Mounted	4
5014 7412	4X36W TLD Elec.Bal.Surface Mounted	2

Dekolamp1 T5



IP 20

Code No	Specifications	Pcs/Pack
5014 5562	2X14W T5 Elec.Bal.Surface Mounted	6
5014 5582	4X14W T5 Elec.Bal.Surface Mounted	6
5014 5602	2X28W T5 Elec.Bal.Surface Mounted	4
5014 5622	4X28W T5 Elec.Bal.Surface Mounted	2


Luxlamp T5



IP 20

Code No	Specifications	Pcs/Pack
5011 1522	2X14W T5 Elec.Bal.Surface Mounted	6
5011 1492	4X14W T5 Elec.Bal.Surface Mounted	6
5011 1532	2X28W T5 Elec.Bal.Surface Mounted	4
5011 1502	4X28W T5 Elec.Bal.Surface Mounted	2


Dekolamp2



IP 20

Code No	Specifications	Pcs/Pack
5014 4182	2X28W T5 Elec.Bal.Surface Mounted	4
5014 9982	2X35W T5 Elec.Bal.Surface Mounted	4
3220 335	Hanging Set 150cm (pcs.)	1

Birlamp




IP 20

Code No	Specifications	Pcs/Pack
5014 8852	2X14W T5 Elec.Bal.Surface Mounted	6
5014 8872	2X28W T5 Elec.Bal.Surface Mounted	6
5014 8892	2X35W T5 Elec.Bal.Surface Mounted	6
3220 326	Hanging Set 100cm (pcs.)	1




Pelsan Recessed Mounted Architectural Office Luminaires

Halley LED 60x60 Recessed Mounted




Quadruple use proposal




Code No	Specifications	Pcs/Pack
5615 9241	Halley 4X33W 60x60 Recessed Mounted 4000/6500K (4 sets)	4

Galaxy LED 60x60 Recessed Mounted




Quadruple use proposal




Code No	Specifications	Pcs/Pack
615 9261	Galaxy 4X33W 60x60 Recessed Mounted 4000/6500K (4 sets)	4

Cion LED 60x60 Recessed Mounted




Quadruple use proposal




Code No	Specifications	Pcs/Pack
5615 9251	Cion 4X33W 60x60 Recessed Mounted 4000/6500K (4 sets)	4

Gupur LED 60x60 Recessed Mounted



Quadruple use proposal



Code No	Specifications	Pcs/Pack
5615 9141	Gupur 33W 60x60 Recessed Mounted 4000/6500K	4



Sterile Environment & Hospital Luminaires

IP65 LED Sterile Luminaire Recessed Mounted 



IP 65 

Code No	Specifications	Pcs/Pack
5615 8811	LED Sterile IP65 33W 60x60 Recessed Mounted 4000/6500K	4

IP65 LED Sterile Luminaire Surface Mounted 



IP 65 

Code No	Specifications	Pcs/Pack
5615 8001	LED Sterile IP65 33W 60x60 Surface Mounted 4000/6500K	4

IP65 Sterile Luminaire Recessed Mounted Sandblasted Glass 



IP 65 

Code No	Specifications	Pcs/Pack
5014 2912	2X18W TLD Elec.Bal. Recessed Mounted	4
5014 2922	4X18W TLD Elec.Bal. Recessed Mounted	3
5014 2932	2X36W TLD Elec.Bal. Recessed Mounted	3
5011 1002	2X14W T5 Elec.Bal. Recessed Mounted	4
5011 0842	4X14W T5 Elec.Bal. Recessed Mounted	3
5011 0832	2X28W T5 Elec.Bal. Recessed Mounted	3

IP65 Sterile Luminaire Surface Mounted Sandblasted Glass 



IP 65 

Code No	Specifications	Pcs/Pack
5014 2812	2X18W TLD Elec.Bal. Surface Mounted	4
5014 2822	4X18W TLD Elec.Bal. Surface Mounted	4
5014 2832	2X36W TLD Elec.Bal. Surface Mounted	4
5014 2862	2X14W T5 Elec.Bal. Surface Mounted	4
5014 5342	4X14W T5 Elec.Bal. Surface Mounted	4
5014 5142	2X28W T5 Elec.Bal. Surface Mounted	4

Tempered Glass Luminaire Recessed Mounted 



IP 65 

Code No	Specifications	Pcs/Pack
5014 5162	2X18W TLD Elec.Bal. Recessed Mounted	4
5014 5132	4X18W TLD Elec.Bal. Recessed Mounted	3
5014 5172	2X36W TLD Elec.Bal. Recessed Mounted	3

Tempered Glass Sterile Luminaire Surface Mounted 



IP 65 

Code No	Specifications	Pcs/Pack
5014 4402	2X18W TLD Elec.Bal. Surface Mounted	4
5014 4412	4X18W TLD Elec.Bal. Surface Mounted	4
5014 4422	2X36W TLD Elec.Bal. Surface Mounted	4

Ultraviolet Luminaires





axbxcmm
 1x15: 535x121x126
 1x30: 990x121x126




IP 20 

Code No	Specifications	Pcs/Pack
5014 4482	1X15W TLD Elec.Bal. Surface Mounted	1
5014 4492	1X30W TLD Elec.Bal. Surface Mounted	1

Negatoscope 




IP 40 

Code No	Specifications	Pcs/Pack
5615 8540	Negatoscope 42W LED 60X60	1
5615 8550	Negatoscope 84W LED 60X120	1
5014 7202	Negatoscope 2X14W T5 Elec.Bal.	1
5014 7222	Negatoscope 4X18W TLD Elec.Bal.	1



Pelsan Recta Linear Luminaires

Continuous Body
Option up to
3 Meters



Color Options

- RAL 9005
- RAL 9006
- RAL 9016



Recta LED Surface Mounted



IP 40

Code No	Specifications	a x b x c	Pcs/Pack
5615 9301	20W 4000/6500K	600X58X76 mm	1
5615 9311	36.5W 4000/6500K	900X58X76 mm	1
5615 9321	48W 4000/6500K	1200X58X76 mm	1
5615 9331	61W 4000/6500K	1500X58X76 mm	1
3220 326	Decorative Hanging Set 100cm		1

Recta LED Surface Mounted



IP 40

Code No	Specifications	a x b x c	Pcs/Pack
5615 9491	20W 4000/6500K	600X85X76	1
5615 9501	36.5W 4000/6500K	900X85X76	1
5615 9511	48W 4000/6500K	1200X85X76	1
5615 9521	61W 4000/6500K	1500X85X76	1
3220 335	Decorative Hanging Set 150cm		1

Recta LED Recessed Mounted



IP 40

Code No	Specifications	a x b x c	□ (mm)	Pcs/Pack
5615 9411	36.5W 4000/6500K	916X76X76	902x60	1
5615 9421	48W 4000/6500K	1236X76X76	1222x60	1
5615 9431	61W 4000/6500K	1526X76X76	1512x60	1

Recta LED Recessed Mounted



IP 40

Code No	Specifications	a x b x c	□ (mm)	Pcs/Pack
5615 9601	36.5W 4000/6500K	916X108X76	902x87	1
5615 9611	48W 4000/6500K	1236X108X76	1222x87	1
5615 9621	61W 4000/6500K	1526X108X76	1512x87	1





Surface Mounted Architectural Office Luminaires




Color Options

- RAL 9005
- RAL 9006
- RAL 9016



Quad LED


Code No	Specifications	Pcs/Pack
5615 9291	20W 4000/6500K	1
5615 9341	75W 4000/6500K	1
5615 9391	100W 4000/6500K	1



axbcm
 20W : 400x57x100
 75W : 600x57x100
 100W : 900x57x100

Polaris LED


Code No	Specifications	Pcs/Pack
5615 6171	20W 4000/6500K	1
5615 6181	75W 4000/6500K	1
5615 9391	100W 4000/6500K	1



Øxhmm
 20W : 400x100
 75W : 600x100
 100W : 900x100

Circa LED

Code No	Specifications	Pcs/Pack
5615 6121	75W 4000/6500K	1
5615 6131	100W 4000/6500K	1



Øxbcm
 20W : 400x74x100
 75W : 600x74x100
 100W : 900x74x100



Pelsan Decorative Pendant Luminaires



Volga



IP 40

Code No	Specifications	Pcs/Pack
5616 4751	Volga 50W LED White	6
5616 4741	Volga 50W LED Silver	6
5616 4791	Volga 50W LED Gold	6
5212 4011	Volga E27 Silver	6
5212 4021	Volga E27 White	6
5212 4061	Volga E27 Gold	6

Rodos



IP 20

Code No	Specifications	Pcs/Pack
5118 4221	Rodos E27 Black	4
5118 4211	Rodos E27 White	4
5118 4241	Rodos E27 Copper Oxide	4
5118 4231	Rodos E27 Gold Oxide	4

Pico



IP 20

Code No	Specifications	Pcs/Pack
5118 4621	Pico E27 Black	4
5118 4611	Pico E27 White	4

Avsha



IP 20

Code No	Specifications	Pcs/Pack
5118 4011	Avsha E27 Black	4
5118 4021	Avsha E27 Grey	4




Decorative Pendant Luminaires



Please check page 77 for LED Lamps used in these luminaires

Simi



IP 20 ⊕

Code No	Specifications	Pcs/Pack
5118 4411	Simi E27 Gray	4


Tuna / Sana



IP 20 ⊕

Code No	Specifications	Pcs/Pack
5213 5010	Tuna E27 Q33	4
5213 5110	Sana E27 Q44	4


Metal Pendant



IP 20 ⊕

Code No	Specifications	Pcs/Pack
5118 2000	Decorative Pendant E27 Q15	1

Metal Pendant



IP 20 ⊕

Code No	Specifications	Pcs/Pack
5118 2020	Decorative Pendant E27 Q28	1



Pelsan Recessed Mounted Slim LED Downlights



7 Different Power,
7 Different
Dimensions !

- Pelsan Slim LED Downlights perform power and lumen output just as declared
- Aluminium body, aluminium frame
- Emergency option up to 3 hours

Sirma 24W

IP 40

Code No	Specifications	Pcs/Pack
5616 2271	24W 3000K	20
5616 2261	24W 4000K	20
5616 2251	24W 6500K	20

Sirma 18W

IP 40

Code No	Specifications	Pcs/Pack
5616 2171	18W 3000K	30
5616 2151	18W 4000K	30
5616 2161	18W 6500K	30
5616 2231	20W 6500K	24

Sirma 15W

IP 40

Code No	Specifications	Pcs/Pack
5616 2121	15W 3000K	30
5616 2141	15W 4000K	30
5616 2131	15W 6500K	30

Sirma 12W

IP 40

Code No	Specifications	Pcs/Pack
5616 2091	12W 3000K	30
5616 2071	12W 4000K	30
5616 2081	12W 6500K	30

Sirma 9W

IP 40

Code No	Specifications	Pcs/Pack
5616 2101	9W 3000K	30
5616 2051	9W 4000K	30
5616 2061	9W 6500K	30

Sirma 6W

IP 40

Code No	Specifications	Pcs/Pack
5616 2021	6W 3000K	30
5616 2041	6W 4000K	30
5616 2031	6W 6500K	30

Sirma 3W

IP 40

Code No	Specifications	Pcs/Pack
5616 1991	3W 3000K	60
5616 2001	3W 4000K	60
5616 2011	3W 6500K	60

Options

Code No	Specifications	Pcs/Pack
5913 1470	Slim Downlight Emergency Lighting Kit	1
5918 1847	Triac DIM Driver (For 12W Slim Downlight)	1
5918 1848	Triac DIM Driver (For 15W Slim Downlight)	1
5918 1849	Triac DIM Driver (For 18W Slim Downlight)	1




Recessed & Surface Mounted Slim LED Downlight Luminaires

Light in 3 Different Levels with Sirma Double Color Series



Sirma Double Color



\varnothing xhmm
 3+2W: 102x29...85mm
 6+3W: 146x29...120mm
 12+4W: 195x29...165mm
 h:

IP 40

Code No	Specifications	Pcs/Pack
5616 1571	3+2W 6500K + Blue Recessed Mounted	60
5616 1551	6+3W 6500K + Blue Recessed Mounted	40
5616 1581	12+4W 6500K + Blue Recessed Mounted	20

Sirma Double Color




195mm
 20mm
 h:

IP 40

Code No	Specifications	Pcs/Pack
5616 1561	12+4W 6500K +Blue Surface Mounted	20

Sirma Surface Mounted Downlight




\varnothing xhmm
 18W:225x40
 24W:300x40
 h:

IP 40

Code No	Specifications	Pcs/Pack
5616 1441	18W 4000K	20
5616 1451	18W 6500K	20
5616 1251	24W 4000K	20
5616 1261	24W 6500K	20

Sirma Surface Mounted Downlight




225mm
 225mm
 40mm
 h:

IP 40

Code No	Specifications	Pcs/Pack
5616 1461	18W 4000K	20
5616 1471	18W 6500K	20

Orion Recessed Mounted




\varnothing xhmm
 6W:75
 12W:125
 18W:170
 6W:100x40
 12W:160x40
 18W:200x40
 h:

IP 40

Code No	Specifications	Pcs/Pack
5616 2901	6W 6500K	40
5616 2911	12W 6500K	10
5616 2921	18W 6500K	10

Elektra Recessed Mounted



\varnothing xhmm
 6W:75x75
 12W:120x120
 18W:160x160
 a:bxcm
 6W:100x100x40
 12W:160x160x40
 18W:200x200x40
 c:

IP 40

Code No	Specifications	Pcs/Pack
5616 2601	6W 6500K	40
5616 2611	12W 6500K	10
5616 2621	18W 6500K	10



Pelsan Recessed Mounted Backlight LED Downlight Luminaires



There is always a Tira Suitable to your Place!

- 15-20-23,5 diameter options
- 3 power options for all body types
- LED application options at the desired Color temperature
- Matt black and white frame color options
- European brand LED chip and driver
- Emergency lighting unit application up to 3 hours

Tira Ø Internal Diffuser

Øxhmm
 7W : 148x56,5
 10W : 148x56,5
 15W : 197x56,5
 20W : 197x56,5
 25W : 233x56,5
 35W : 233x56,5

Code No	Specifications	□(mm)	Pcs/Pack
5616 7521	7W 3000/4000K/6500K	132	20
5616 7531	9W 3000/4000K/6500K	132	20
5616 7551	15W 3000/4000K/6500K	185	15
5616 7561	20W 3000/4000K/6500K	185	15
5616 7581	25W 3000/4000K/6500K	220	10
5616 7591	35W 3000/4000K/6500K	220	10

Tira ∇ Internal Diffuser

axb x hmm
 7W : 148x148x56,5
 10W : 148x148x56,5
 15W : 197x197x56,5
 20W : 197x197x56,5
 25W : 233x233x56,5
 35W : 233x233x56,5

Code No	Specifications	□(mm)	Pcs/Pack
5616 7621	7W 3000/4000K/6500K	132	20
5616 7631	9W 3000/4000K/6500K	132	20
5616 7651	15W 3000/4000K/6500K	185	15
5616 7661	20W 3000/4000K/6500K	185	15
5616 7681	25W 3000/4000K/6500K	220	10
5616 7691	35W 3000/4000K/6500K	220	10

Tira Ø Flat Diffuser

Øxhmm
 7W : 190x50
 10W : 190x50
 15W : 190x50
 20W : 240x50
 25W : 240x50
 35W : 240x50

Code No	Specifications	□(mm)	Pcs/Pack
5616 8141	10W 3000/4000K/6500K	185	15
5616 8151	15W 3000/4000K/6500K	185	15
5616 8161	20W 3000/4000K/6500K	185	15
5616 8171	20W 3000/4000K/6500K	225	10
5616 8181	25W 3000/4000K/6500K	225	10
5616 8191	35W 3000/4000K/6500K	225	10

Tira Ø Internal Diffuser

Øxhmm
 7W : 148x56,5
 10W : 148x56,5
 15W : 197x56,5
 20W : 197x56,5
 25W : 233x56,5
 35W : 233x56,5

Code No	Specifications	□(mm)	Pcs/Pack
5616 8011	7W IP54 148 x 56,5	132	20
5616 8021	10W IP54 148 x 56,5	132	20
5616 8031	15W IP54 197 x 56,5	185	15
5616 8041	20W IP54 197 x 56,5	185	15
5616 8051	25W IP54 233 x 56,5	220	10
5616 8061	35W IP54 233 x 56,5	220	10

Options

Code No	Specifications	Pcs/Pack
5913 1470	Tira Emergency Lighting Kit	1



Recessed Mounted Backlight LED Downlight Luminaires

Tira 150mm Ø Internal Diffuser



IP 40 ☉

Code No	Specifications	Pcs/Pack
5616 7111	5W 3000/4000/6500K	20
5616 7121	7W 3000/4000/6500K	20
5616 7131	9W 3000/4000/6500K	20

Tira 150mm ∅ Internal Diffuser



IP 40 ☉

Code No	Specifications	Pcs/Pack
5616 7211	5W 3000/4000/6500K	20
5616 7221	7W 3000/4000/6500K	20
5616 7231	9W 3000/4000/6500K	20

Tira 200mm Ø Internal Diffuser



IP 40 ☉

Code No	Specifications	Pcs/Pack
5616 7141	10W 3000/4000/6500K	15
5616 7151	15W 3000/4000/6500K	15
5616 7161	20W 3000/4000/6500K	15

Tira 200mm ∅ Internal Diffuser



IP 40 ☉

Code No	Specifications	Pcs/Pack
5616 7241	10W 3000/4000/6500K	15
5616 7251	15W 3000/4000/6500K	15
5616 7261	20W 3000/4000/6500K	15


Tira 230mm Ø Internal Diffuser



IP 40 ☉

Code No	Specifications	Pcs/Pack
5616 7171	20W 3000/4000/6500K	10
5616 7181	25W 3000/4000/6500K	10
5616 7191	35W 3000/4000/6500K	10

Tira 230mm ∅ Internal Diffuser



IP 40 ☉

Code No	Specifications	Pcs/Pack
5616 7271	20W 3000/4000/6500K	10
5616 7281	25W 3000/4000/6500K	10
5616 7291	35W 3000/4000/6500K	10

Options

Code No	Specifications	Pcs/Pack
5913 1470	Tira Emergency Lighting Kit	1



Pelsan LED Spot Luminaires

Pluton White

IP 40

Code No	Specifications	Pcs/Pack
5616 1921	5W COB LED 6500K	100
5616 1971	5W COB LED 3000K	100

Pluton Satin

IP 40

Code No	Specifications	Pcs/Pack
5616 1981	5W COB LED 6500K	100
5616 1901	5W COB LED 3000K	100

Pluton Chrome

IP 40

Code No	Specifications	Pcs/Pack
5616 1941	5W COB LED 6500K	100
5616 1961	5W COB LED 3000K	100

Sirius Galaxy

IP 40

Code No	Specifications	Pcs/Pack
5616 1641	8W COB LED 4000K	50

Sirius Galaxy

IP 40

Code No	Specifications	Pcs/Pack
5616 1631	8W COB LED 4000K	50

Sirius Asymmetric Spot

IP 40

Code No	Specifications	Pcs/Pack
5616 1661	3W COB LED 4000K	50

Sirius Star

IP 40

Code No	Specifications	Pcs/Pack
5616 1681	5W COB LED 4000K	50

Sirius Star

IP 40

Code No	Specifications	Pcs/Pack
5616 1691	5W COB LED 4000K	50

Sirius Mini

IP 40

Code No	Specifications	Pcs/Pack
5616 1651	3W COB LED Symmetric 4000K	100
5616 1671	2W COB LED Crystal 4000K	20

Cora

IP 40

Code No	Specifications	Pcs/Pack
5616 1711	5W COB LED 3000K	50

Cora

IP 40

Code No	Specifications	Pcs/Pack
5616 1721	2X5W COB LED 3000K	20

Cora

IP 40

Code No	Specifications	Pcs/Pack
5616 1731	3X5W COB LED 3000K	12



LED Track Spot Luminaires

**Stylish and
Decorative
Lighting in Stores**



Lampda



Code No	Specifications	Pcs/Pack
5816 5110	20W COB LED 4000K	24
5816 5140	30W COB LED 3000K	24
5816 5120	30W COB LED 4000K	24

Theta




Code No	Specifications	Pcs/Pack
5816 5210	20W COB LED 4000K	15
5816 5240	30W COB LED 3000K	16
5816 5220	30W COB LED 4000K	16

Vita




Code No	Specifications	Pcs/Pack
5816 2611	20W COB LED 4000K	10

Theta 1




Code No	Specifications	Pcs/Pack
5616 2451	23W COB LED 4000K	12

Omega




Code No	Specifications	Pcs/Pack
5816 2511	10W COB LED 4000K	56

Nira



Code No	Specifications	Pcs/Pack
5616 2401	30W COB LED 4000K	6

Cora 19 20W



Code No	Specifications	Pcs/Pack
5816 5310	20W COB LED 4000K	8

Cora 19 2X20W



Code No	Specifications	Pcs/Pack
5816 5320	2X20W COB LED 4000K	4

Cora 19 3X20W



Code No	Specifications	Pcs/Pack
5816 5330	3X20W COB LED 4000K	4

Track and Accessories (Monophase)

Code No	Specifications	Pcs/Pack	Code No	Specifications	Pcs/Pack	Code No	Specifications	Pcs/Pack
3110 356	I Connection White	1	3110 355	T Connection White	1	3110 351	Monophase Track White 1m	1
3110 339	I Connection Black	1	3110 365	T Connection Black	1	3110 352	Monophase Track White 2m	1
3110 354	L Connection White	1	3110 312	Track Adaptor White	1	3110 353	Monophase Track White 3m	1
3110 364	L Connection Black	1	3110 310	Track Adaptor Black	1	3110 361	Monophase Track Black 1m	1
						3110 362	Monophase Track Black 2m	1
						3110 335	Monophase Track Black 3m	1



Pelsan LED Appliques

Directs the Light for Art!



- 30.000 hours lifetime
- Stainless steel body
- Moving head

Guardi
Double - Stepped

IP 20 ☺

Code No	Specifications	Pcs/Pack
5732 6020	7W Picture Light 4000K	10

Da Vinci

IP 20 ☺

Code No	Specifications	Pcs/Pack
5812 3120	5W Picture Light 4000K	10

Maris

IP 20 ☺

Code No	Specifications	Pcs/Pack
5732 6010	5W Picture Light 4000K	10

Dali
With Switch

IP 20 ☺

Code No	Specifications	Pcs/Pack
5812 3420	6W Wall Applique 4000K	10

Vien
With Switch

IP 20 ☺

Code No	Specifications	Pcs/Pack
5812 6420	3W 4000K	30

Viteri
With Switch

IP 20 ☺

Code No	Specifications	Pcs/Pack
5812 6410	3W 4000K	30



LED Ceiling Luminaires Pelsan

Opal 35cm




IP 40 ☺

Code No	Specifications	Pcs/Pack
5613 1131	Opal LED 23W 6500K	16

Opal 35x35cm




IP 40 ☺

Code No	Specifications	Pcs/Pack
5613 1161	Opal LED 23W 6500K	16

Pio1 25cm




IP 40 ☺

Code No	Specifications	Pcs/Pack
5613 1361	Pio 1 LED 12W 6500K	10

Pio1 25x25cm




IP 40 ☺

Code No	Specifications	Pcs/Pack
5613 1311	Pio 1 LED 12W 6500K	10

Pio2 25cm




IP 40 ☺

Code No	Specifications	Pcs/Pack
5613 1371	Pio 2 LED 12W 6500K	10

Pio2 25X25cm




IP 40 ☺

Code No	Specifications	Pcs/Pack
5613 1321	Pio 2 LED 12W 6500K	10

Cemre




IP 40 ☺

Code No	Specifications	Pcs/Pack
5613 1011	Cemre LED 23W 6500K	10

İlkbahar




IP 40 ☺

Code No	Specifications	Pcs/Pack
5612 1101	İlkbahar LED 23W 6500K	10

Planet




IP 40 ☺

Code No	Specifications	Pcs/Pack
5610 3011	Planet LED 23W 6500K	6

Popart




IP 40 ☺

Code No	Specifications	Pcs/Pack
5610 4011	Popart LED 23W 6500K	6

Sipahi




IP 40 ☺

Code No	Specifications	Pcs/Pack
5413 1030	Sipahi E27	24

Samsun




IP 40 ☺

Code No	Specifications	Pcs/Pack
5413 1100	Samsun E27	24
5413 1251	Samsun LED 12W 6500K	24



Pelsan IP66/44 Ceiling, Wall & Globe Luminaires

IP66 Armada

IP 66 ☺

Code No	Specifications	Pcs/Pack
5812 6710	Armada Grey E27	8

IP44 Oval Grill 21
Aluminium injection

IP 44 ☺

Code No	Specifications	Pcs/Pack
5730 6050	Oval Grill 21 Grey E27	18

IP44 Oval Grill 28
Aluminium injection

IP 44 ☺

Code No	Specifications	Pcs/Pack
5730 6120	Oval Grill 28 Grey E27	12

IP44 Oval Kep
Aluminium injection

IP 44 ☺

Code No	Specifications	Pcs/Pack
5730 6060	Oval Kep Grey E27	18

IP44 Oval Glas
Aluminium injection

IP 44 ☺

Code No	Specifications	Pcs/Pack
5730 6040	Oval Glas Grey E27	18

IP44 Polo2
Aluminium injection

IP 44 ☺

Code No	Specifications	Pcs/Pack
5730 5510	Polo 2 Grey E27	8

IP44 Yaka 20
Aluminium injection

IP 44 ☺

Code No	Specifications	Pcs/Pack
5730 5130	Yaka 20 Grey E27	18

IP44 Yaka 26
Aluminium injection

IP 44 ☺

Code No	Specifications	Pcs/Pack
5730 5180	Yaka 26 Grey E27	6

IP44 Polo4
Aluminium injection

IP 44 ☺

Code No	Specifications	Pcs/Pack
5730 5550	Polo 4 Grey E27	12




IP66 Ceiling Luminaire Pelsan


Water and Dust Proof

Havana IP66

- Pelsan Havana ceiling luminaire is suitable for temperature changes and environmental conditions.
- High resistance to impacts. Unbreakable
- Options: E27, LED, LED radar sensor, LED emergency lighting kit.
- Stainless screw and UV proof opal diffuser.




Havana IP66 Grey



IP 66

Code No	Specifications	Pcs/Pack
5610 6610	E27 max 23W	8
5610 6620	15W LED	8
5610 6630	15W LED Radar Sens.	8
5610 6624	15W LED Emerg.Light.Kit	8


Havana IP66 White



IP 66

Code No	Specifications	Pcs/Pack
5610 6611	E27 max 23W	8
5610 6621	15W LED	8
5610 6631	15W LED Radar Sens.	8
5610 6625	15W LED Emerg.Light.Kit	8


Havana IP66 Black



IP 66

Code No	Specifications	Pcs/Pack
5610 6612	E27 max 23W	8
5610 6622	15W LED	8
5610 6632	15W LED Radar Sens.	8
5610 6626	15W LED Emerg.Light.Kit	8

Color Options



Grey /Red

IP 66


Code No	Specifications	Pcs/Pack
5610 6613	E27 max 23W	8



Grey /Orange

IP 66

Code No	Specifications	Pcs/Pack
5610 6615	E27 max 23W	8



Grey /Blue

IP 66

Code No	Specifications	Pcs/Pack
5610 6614	E27 max 23W	8



Pelsan Sensors

360° Motion Sensor

6 m
2,5 m

3 eye sensor technology makes detection in every direction.

IP 20

Code No	Specifications	Pcs/Pack
5513 5110	360° Motion Sensor	50

180° Motion Sensor

12 m
2,5 m

IP 20

Code No	Specifications	Pcs/Pack
5513 5010	180° Motion Sensor	50

Mini Motion Sensor

6 m
2,5 m

Provides a practical solution for sensors that do not fit in the application area.

IP 20

Code No	Specifications	Pcs/Pack
5513 5340	Mini Motion Sensor	100

Radar Sensor

15 m
3,5 m

Sensitive detection behind drywalls and glass.

IP 20

Code No	Specifications	Pcs/Pack
5513 5220	Radar Sensor	100

Recessed Ceiling Sensor

8 m
3,5 m

It provides easy installation for plasterboard ceilings with adjustable time, lux and distance features.

IP 20

Code No	Specifications	Pcs/Pack
5513 5230	Recessed Ceiling Sensor	50

Recessed Ceiling Sensor Small

8 m
3,5 m

It provides easy installation for plasterboard ceilings with adjustable time, lux and distance features.

IP 20

Code No	Specifications	Pcs/Pack
5513 5330	Recessed Ceiling Sensor Small	100

IP65 Sensor Box

66mm
134mm

Protects indoor IP20 sensors from rain and dust

IP 65

Code No	Specifications	Pcs/Pack
IP65 Sensor Box		50

Photocell

It makes sensitive light and dark perception for outdoors.

IP 65

Code No	Specifications	Pcs/Pack
5513 5550	Photocell	100



Presence Sensor

20 m
2,5 m

It detects the presence of persons and run the light as long as they are in the environment.

IP 20

Code No	Specifications	Pcs/Pack
5513 5350	Presence Sensor	50

Four Way Motion Sensor

8 m
4 m

Precise detection at blind spots

IP 20

Code No	Specifications	Pcs/Pack
5513 5310	Four Way Motion Sensor	100

PIR Sensor

15 m
2,5 m

IP 20

Code No	Specifications	Pcs/Pack
5513 5210	PIR Sensor	100

High Ceiling Sensor

10 m
15 m

Lux , distance and time adjustment can be done.

IP 20

Code No	Specifications	Pcs/Pack
5513 5320	High Ceiling Sensor	50

Motion Sensor Lamp Holder

6 m
3,5 m

IP 20

Code No	Specifications	Pcs/Pack
5513 5150	Motion Sensor Lamp Holder	50

Switch Type Sensor

9 m
1,8 m

Suitable for switches and socket receptacles.

IP 20

Code No	Specifications	Pcs/Pack
5513 5170	Switch Type Sensor	50

Integrated Sensor Dimming Led Driver (15W)

8 m
3,5 m

Automatic switching and dimming based on motion and light level.

Daylight Sensor

Functions in the ambient light less than 5 lux

Dimmed light (20% optional) and selectable lux value (< 5lux)

10 minute hold time

IP 20

Code No	Specifications	Pcs/Pack
5513 5420	With Radar Sensor Dim Driver 27w (30-45V /DC 600 mA)	50
5513 5410	With Radar Sensor Dim Driver 15w (30-51V /DC 300 mA)	50




Pelsan Luminaires with Sensor

Light is on Just in Time!



- Can be adjusted to how long the lamp will light with the "time" button and to how far away will detect the motion with the "sens" button.
- High sensitivity PIR sensor with day and night setting.
- Maximum mounting height 4.5m



**Sense LED
Emergency**




IP 20 ☺

Code No	Specifications	Pcs/Pack
413 2113	2xE27 Emergency Sense LED With Sensor	8



**Sense LED
With Sensor**




IP 20 ☺

Code No	Specifications	Pcs/Pack
5413 2014	6W LED With Sensor	8

**Sense LED
With Emergency Sensor**

IP 20 ☺

Code No	Specifications	Pcs/Pack
5413 2114	8W LED With Sensor Emergency	8

**IP66 Havana
With Radar Sensor**




IP 66 ☺

Code No	Specifications	Pcs/Pack
5610 6630	15W LED With Radar Sensor	8

**Sense
With Sensor**




IP 20 ☺

Code No	Specifications	Pcs/Pack
5413 2011	2XE27 With Sensor	8

**Sense
Without Sensor**




IP 20 ☺

Code No	Specifications	Pcs/Pack
5413 2010	2xE27	8





Batten Luminaires Pelsan


Special Design That Gives Motion to the Light

Multiline LED Linear Luminaires


Mobile system that enables light to be transmitted to the desired direction in stores, supermarkets, offices and stores . It provides directable linear lighting thanks to its modern industrial





Directs the light to the desired spot
7 steps beam angle light level from 15° to 105°


 European LED chip and driver

 120 lm / W

 Matt Grey anodised aluminium body

 Glare-proof special diffuser

 Pendant and surface mounted application








Easy Installation
You can easily and safely mount a 2-piece Multiline LED linear luminaire



Provides Continuous Linear Light
Provides uninterrupted light with side covers and connection clips designed for linear connection

Options

-  Emergency Lighting Unit
-  Dali 1-10V Dim
-  120cm / 150cm size
-  3000K-400K-6500K
-  Frosted and transparent diffuser

Multiline LED Linear Luminaire



IP 40

Code No	Specifications	Pcs/Pack
5612 6151	Multiline LED 35W 150cm	4
5612 6161	Multiline LED 50W 150cm	4



Pelsan Batten Luminaires



Linear, Continuous and Homogeneous Light

- Aluminium body with anodized coating
- High transmission PC optical cover with homogenous luminous distribution
- Non-yellowing and nondisColoring throughout life time
- Suitable for indoor and industrial areas

Accessories are not included in the price:
Power cable , 15 cm. flexible connection, Mini connection accessory , ground mounting clips, end cap

Linea LED



IP 40



Code No	Specifications	Pcs/Pack
5951 6260	Linea LED 4W 6500K 30cm	30
5951 6270	Linea LED 8W 6500K 60cm	30
5951 6280	Linea LED 16W 6500K 117.3 cm	30

Linea Large LED



IP 40



Code No	Specifications	Pcs/Pack
5610 2130	Linea Large LED 18W 4000K 60cm	20
5610 2110	Linea Large LED 18W 6500K 60cm	20
5610 2140	Linea Large LED 36W 4000K 120cm	20
5610 2120	Linea Large LED 36W 6500K 120cm	20

TMS LED Tube



IP 20



Code No	Specifications	Pcs/Pack	Code No	Specifications	Pcs/Pack
5012 9420	LED Tube TMS Single 60cm	12	5012 9040	LED Tube TMS Double 60cm	6
5012 9430	LED Tube TMS Single 120cm	12	5012 9530	LED Tube TMS Double 120cm	6
5012 9440	LED Tube TMS Single 150cm	12	5012 9300	LED Tube TMS Double 150cm	6

LED Tube Metal Batten



IP 20




Code No	Specifications	Pcs/Pack	Code No	Specifications	Pcs/Pack
5024 1210	Metal Batten Sing 60cm	6	5024 1230	Metal Batten Double 60cm	6
5024 1220	Metal Batten Sing 120cm	6	5024 1240	Metal Batten Double 120cm	6
5024 6150	Metal Batten Sing 150cm	6	5024 6140	Metal Batten Double 150cm	6

LED Tube Market Luminaires



IP 20



Code No	Specifications	Pcs/Pack
5612 2511	T8 Market Luminaire LED Tube 1x18W 120 cm	5
5612 2521	T8 Market Luminaire LED Tube 1x24W 150 cm	5



Batten Luminaires

TMS T8 Luminaires



IP 20

Specifications	Pcs/Pack	Mech. Bal. Code No	Specifications	Pcs/Pack	Elec. Bal. Cod No
1x18W TMS T8 Fluorescent	6	5012 9031	1x18W TMS T8 Fluorescent	6	5012 9032
2x18W TMS T8 Fluorescent	6	5012 9041	2x18W TMS T8 Fluorescent	6	5012 9042
1x15W TMS T8 Fluorescent	6		1x15W TMS T8 Fluorescent	6	5012 9012
1x30W TMS T8 Fluorescent	6		1x30W TMS T8 Fluorescent	6	5012 9062
1x36W TMS T8 Fluorescent	6	5012 9081	1x36W TMS T8 Fluorescent	6	5012 9082
2x36W TMS T8 Fluorescent	6	5012 9091	2x36W TMS T8 Fluorescent	6	5012 9092
1x58W TMS T8 Fluorescent	6		1x58W TMS T8 Fluorescent	6	5012 9292
2x58W TMS T8 Fluorescent	6		2x58W TMS T8 Fluorescent	6	5012 9302

T5 Market Luminaire



IP 20

Specifications	Pcs/Pack	Single Cod No	Specifications	Pcs/Pack	Double Cod No
1x28W Elec. Bal. TL5	1	5612 2812	2x28W Elec. Bal. TL5	1	5612 2822
1x35W Elec. Bal. TL5	1	5612 2832	2x35W Elec. Bal. TL5	1	5612 2842
1x54W Elec. Bal. TL5	1	5612 2852	2x54W Elec. Bal. TL5	1	5612 2862
1x80W Elec. Bal. TL5	1	5612 2872	2x80W Elec. Bal. TL5	1	5612 2882

T8 Metal Batten Luminaire



IP 20

Specifications	Pcs/Pack	Mech. Bal. Cod No	Specifications	Pcs/Pack	Elec. Bal. Kod No
1x18W T8 Metal Batten Luminaire	8	5024 1211	1x18W T8 Metal Batten Luminaire	8	5024 1212
2x18W T8 Metal Batten Luminaire	6	5024 1231	2x18W T8 Metal Batten Luminaire	6	5024 1232
1x36W T8 Metal Batten Luminaire	6	5024 1221	1x36W T8 Metal Batten Luminaire	6	5024 1222
2x36W T8 Metal Batten Luminaire	6	5024 1241	2x36W T8 Metal Batten Luminaire	6	5024 1242
1x58W T8 Metal Batten Luminaire	8		1x58W T8 Metal Batten Luminaire	8	5024 6152
2x58W T8 Metal Batten Luminaire	8		2x58W T8 Metal Batten Luminaire	8	5024 6142




T8 Fiberglass Batten Luminaire



IP 65

Specifications	Pcs/Pack	Mech. Bal. Cod No	Specifications	Pcs/Pack	Elec. Bal. Kod No
1x36W T8 Fiberglass Batten	6	5024 1021	1x36W T8 Fiberglass Batten	6	5024 1022
2x36W T8 Fiberglass Batten	6	5024 1031	2x36W T8 Fiberglass Batten	6	5024 1032
1x58W T8 Fiberglass Batten	6		1x58W T8 Fiberglass Batten	6	5024 6042
2x58W T8 Fiberglass Batten	6		2x58W T8 Fiberglass Batten	6	5024 6052

Spare Parts



Cod No	Specifications	Pcs/Pack
4201 815	Standard TMS 18W Ref.	10
4201 816	Standard TMS 36W Ref.	10
4201 817	Standard TMS 58W Ref.	10

Cod No	Specifications	Pcs/Pack
4201 806	Click-in Batten 18W Ref.	10
4201 807	Click-in Batten 36W Ref.	10
4201 808	Click-in Batten 58W Ref.	10

Cod No	Specifications	Pcs/Pack
4201 810	Metal Batten Luminaire 18W Ref.	10
4201 811	Metal Batten Luminaire 36W Ref.	10
4201 812	Metal Batten Luminaire 58W Ref.	10
4201 821	Metal Batten F.Glass Poly.36W Ref.	10
4201 822	Metal Batten F.Glass Poly. 58W Ref.	10



Pelsan Waterproof Luminaires

2x36W Equivalent to Waterproof Luminaire

Options

- Dali 1-10V
- Corridor Functioning
- Radar Sensor
- Emergency Unit

55% energy saving compared to luminaires electronic ballasts

- 2 times longer life than fluorescent
- Dust and Water proof; IP65
- High efficacy and long lifespan LED 3000K / 4000K / 6500K

Largo LED



IP 65

Cod No	Specifications	Pcs/Pack
5615 3511	Largo LED 36W 120 cm	6
5615 3561	Largo LED 20W 60cm	6
5615 3521	Largo LED 20W 120cm	6
5615 3514	Largo LED 36W 120 cm Emergency Lighting Kit	6

Largo LED Lux



IP 65

Cod No	Specifications	Pcs/Pack
5615 6361	Largo LED Lux 21W 60cm	6
5615 6371	Largo LED Lux 42W 120cm	6
5615 6387	Largo LED Lux 63W 150cm	6

Largo LED Frozen



IP 65

• Suitable for use in cold storage and frozen products warehouse

Cod No	Specifications	Pcs/Pack
5615 6364	Largo LED Frozen 21W 60cm (-25° C)	6
5615 6374	Largo LED Frozen 42W 120cm (-40° C)	6
5615 6389	Largo LED Frozen 63W 150cm (-40° C)	6

Largo LED With Radar Sensor and Emergency Lighting Kit



IP 65

Cod No	Specifications	Pcs/Pack
5615 3534	Largo LED 36W 120cm With Radar Sensor and Kit	6
5615 3531	Largo LED 36W 120cm With Radar Sensor	6

Largo LED Tube Single Transparent Glass



IP 65

• Emergency Lighting Kit Applicable (9-18W)

Cod No	Specifications	Pcs/Pack
5021 8220	Largo LED Tube Single 60cm	6
5021 8260	Largo LED Tube Single 120cm	6
5021 8450	Largo LED Tube Single 150cm	6
5913 1460	9-18W LED Tube Emergency Kit	100

Largo LED Tube Double Transparent Glass



IP 65

• Emergency Lighting Kit Applicable(9-18W)

Cod No	Specifications	Pcs/Pack
5021 8240	Largo LED Tube Double 60cm	6
5021 8280	Largo LED Tube Double 120cm	6
5021 8460	Largo LED Tube Double 150cm	6
5913 1460	9-18W LED Tube Emergency Kit	100



Waterproof Luminaires Pelsan


- Efficiency over 100lm/W
- European origin LED and Driver
- Aluminium extrusion frame
- IP65
- Glare control special diffuser

Options:

- DALI Driver
- Emergency unit
- External sensor application



Solida
IP65 LED Waterproof Luminaire



IP 65

Cod No	Specifications	Pcs/Pack
5614 2113	Solida 23W 60cm	6
5614 2133	Solida 35W 90cm	6
5614 2153	Solida 45W 120cm	6
5614 2163	Solida 65W 120cm	6

Prota
IP65 LED Waterproof Luminaire

- Aluminium Body




IP 65

Cod No	Specifications	Pcs/Pack
5614 2213	Prota 23W 60cm	6
5614 2233	Prota 35W 90cm	6
5614 2253	Prota 45W 120cm	6
5614 2263	Prota 65W 120cm	6

Inoaled
IP65 LED Waterproof Luminaire

- Aluminium Body



IP 65

Cod No	Specifications	Pcs/Pack
5614 1671	Inoaled 21W 60 cm	4
5614 1531	Inoaled 42W 120 cm	4
5614 1501	Inoaled 63W 150 cm	4

Mar Waterproof Luminaire



IP 65

Cod No	Specifications	Pcs/Pack
5021 1532	Mar 3x18 Elec. Bal. TLD	4
5021 1542	Mar 4x18 Elec. Bal. TLD	4
5021 1552	Mar 3x36 Elec. Bal. TLD	4
5021 1562	Mar 4x36 Elec. Bal. TLD	4
5021 1572	Mar 3x58 Elec. Bal. TLD	4
5021 1582	Mar 4x58 Elec. Bal. TLD	4

Largo T8
IP65 Waterproof Luminaire




IP 65

Cod No	Specifications	Pcs/Pack
5021 8222	Largo 1x18W Elec. Bal. TLD	6
5021 8242	Largo 2x18W Elec. Bal. TLD	6
5021 8262	Largo 1x36W Elec. Bal. TLD	6
5021 8282	Largo 2x36W Elec. Bal. TLD	6
5021 8452	Largo 1x58W Elec. Bal. TLD	6
5021 8462	Largo 2x58W Elec. Bal. TLD	6

Solta T8
IP65 Waterproof Luminaire

- PC Body , PC Glass



IP 65

Cod No	Specifications	Pcs/Pack
5021 9562	Solta 1X18W Elec. Bal. TLD	9
5021 9572	Solta 2X18W Elec. Bal. TLD	9
5021 9582	Solta 1X36W Elec. Bal. TLD	9
5021 9592	Solta 2X36W Elec. Bal. TLD	10



ViaLED




Find Your Way Out Everywhere!



Emergency Lighting Luminaires



EXILED



IP65 30 LEDs
EMERGENCY



2x5W LED SPOT
EMERGENCY



20W LED SPOT
EMERGENCY



UFO EMERGENCY
LIGHTING SPOT





Emergency Lighting Luminaires Pelsan

2x10W LED 6 Hour




IP 40 ☺

Code No	Specifications	Pcs/Pack
5514 1130	2x10W LED 6 Hour	8

2x5W LED 4 Hour




IP 40 ☺

Code No	Specifications	Pcs/Pack
5514 1120	2x5W LED 4 Hour	8



2x3W LED 5 Hour




IP 40 ☺

Code No	Specifications	Pcs/Pack
5514 1110	2x3W LED 6 Hour	10

2x50W - 2x20W

IP 40 ☺

Code No	Specifications	Pcs/Pack
5514 1010	2x20W DC 3 Hour	3
5514 1030	2x50W DC 1 Hour	3



Ufo Emergency Lighting Spot




IP 40 ☺

Code No	Specifications	Pcs/Pack
5615 2031	3W 3000K (2pcs)	20

24 LEDs AC/DC Emergency

IP 40 ☺

Code No	Specifications	Pcs/Pack
5514 1140	24 LEDs AC/DC	8



Pelsan Emergency Exit Luminaires

200 kinds of label option !



• 200 kinds of label option is valid for 5513 1741, 5513 1751, 5513 1522, 5513 1512 codes • Ürün Kodu ile birlikte etiket seçiminizi bildiriniz.



Recessed Mounted Exiled Exit With Label Option

Code No	Specifications	Pcs/Pack
5513 1741	Recessed Mounted One Side Exiled	10
5513 1751	Recessed Mounted Double Side Exiled	10

Exiled Exit With Label Option

Code No	Specifications	Pcs/Pack
5513 1522	One Side Exiled	10
5513 1512	Double Side Exiled	10

Exiled Exit One Side fixed label

Code No	Specifications	Pcs/Pack
5513 1521	One Side 3W 3 Hours	10

Exiled Exit Double Side fixed label

Code No	Specifications	Pcs/Pack
5513 1511	Double Side 3W 3 Hours	10

Exiled Exit Double Side optional label

Code No	Specifications	Pcs/Pack
5513 1410	Double Side 3W 3 Hours	10

Exiled Exit Double Side fixed label

Code No	Specifications	Pcs/Pack
5513 1430	Double Side 3W 3 Hours	10

Exiled Exit Double Side fixed label

Code No	Specifications	Pcs/Pack
5513 1440	Double Side 3W 3 Hours	10


Exiled Exit Double Side fixed label

Code No	Specifications	Pcs/Pack
5513 1420	Double Side 3W 3 Hours	10



Emergency Exit Luminaires Pelsan


Vialed Pendant optional label



IP 20

Code No	Specifications	Pcs/Pack
5513 4210	One Side Pendant 3W	1
5513 4220	Double Side Pendant 3W	1


Surface Mounted Vialed optional label



IP 20

Code No	Specifications	Pcs/Pack
5513 4010	One Side Exit 3W White Bracket	1
5513 4020	Double Side Exit 3W With Bracket	1


Recessed Mounted Vialed optional label



IP 20

Code No	Specifications	Pcs/Pack
5513 4110	Recessed Mounted One Side 3W	1
5513 4120	Recessed Mounted Double Side 3W	1


Surface Mounted Vialed 55 cm optional label



IP 20

Code No	Specifications	Pcs/Pack
5513 4030	One Side Exit With Bracket	1
5513 4040	Double Side Exit With Bracket	1
5513 4230	One Side Exit Pendant	1
5513 4240	Double Side Exit Pendant	1


Profile Chain optional label



IP 20

Code No	Specifications	Pcs/Pack
5513 2471	Profile Chain One Side 3 Hours	1
5513 2441	Profile Chain Double Side 3 Hours	1


Profile Ceiling optional label



IP 20

Code No	Specifications	Pcs/Pack
5513 3341	Profile Ceiling One Side 3 Hours	1
5513 3381	Profile Ceiling Double Side 3 Hours	1


Profile Wall optional label



IP 20

Code No	Specifications	Pcs/Pack
5513 2261	Profile Wall One Side 3 Hours	1
5513 2281	Profile Wall Double Side 3 Hours	1

Profile 220v optional label



IP 20

Code No	Specifications	Pcs/Pack
5513 1721	Profile 220V	1



Pelsan School Type Luminaires



Clear




IP 40

Code No	Specifications	Pcs/Pack
5615 3211	Clear LED 36W 120 CM	1
5017 9002	T1 Clear 1X18W T8 Lum.Elec.Bal.	1
5017 9012	T1 Clear 2X18W T8 Lum.Elec.Bal.	1
5017 9022	T1 Clear 1X36W T8 Lum.Elec.Bal.	1
5017 9032	T1 Clear 2X36W T8 Lum.Elec.Bal.	1



T1 School Type Transparent

IP 40

Code No	Specifications	Pcs/Pack
5017 2012	T1 Transparent 1X18W T8 Elec.Bal.	1
5017 2022	T1 Transparent 2X18W T8 Elec. Bal.	1
5017 2112	T1 Transparent 1X36W T8 Elec. Bal.	1
5017 1542	T1 Transparent 2X36W T8 Elec. Bal.	1
5016 2012	T1 Opal 1X18W T8 Elec. Bal.	1
5016 2022	T1 Opal 2X18W T8 Elec. Bal.	1
5016 2112	T1 Opal 1X36W T8 Elec. Bal.	1
5016 1542	T1 Opal 2X36W T8 Elec. Bal.	1

Plex

IP 40

Code No	Specifications	Pcs/Pack
5019 5212	Opal 2x18W Elec. Bal. TLD	1
5019 5222	Opal 2x36W Elec. Bal. TLD	1
5019 5272	Prismatic Lens 2x18W Elec. Bal. TLD	1
5019 5282	Prismatic Lens 2x36W Elec. Bal TLD	1

Linea Large LED




IP 40

- Aluminium Body
- Homogenous Light
- Suitable for Indoor and Industrial Areas

Code No	Specifications	Pcs/Pack
5610 2110	Linea Large LED 18W 6500K 60cm	20
5610 2120	Linea Large LED 36W 6500K 120cm	20
5610 2130	Linea Large LED 18W 4000K 60cm	20
5610 2140	Linea Large LED 36W 4000K 120cm	20

Linea LED




IP 40

- Aluminium Body
- Connecting to each other
- Continuous and homogenous light
- Safe installation
- Suitable for indoor and industrial areas

Accessories are included in the price.
Power cable , 15 cm. flexible connection, Mini connection accessory , ground mounting clips,end cap.

Code No	Specifications	Pcs/Pack
5951 6260	Linea LED 4W 6500K 30cm	30
5951 6270	Linea LED 8W 6500K 60cm	30
5951 6280	Linea LED 16W 6500K 117,3cm	30



Pendant Highbay Luminaires Pelsan

Suitable for use in workshops,
offices, stores and markets



Volga

- E27 Base
- Suitable for use with Pelsan 30W & 40W LED Lamps



Volga LED

- 50W
- 50.000 hours lifetime
- High Color rendering index

Volga

IP40 ☺

Code No	Specifications	Pcs/Pack
5616 4741	Volga 50W LED Silver Highbay Lum.	6
5616 4751	Volga 50W LED White Highbay Lum.	6
5212 4011	Volga E27 Silver Highbay Lum.	6
5212 4021	Volga E27 White Highbay Lum.	6

Gediz

IP 65/20 ☺

Code No	Specifications	Pcs/Pack
5212 1010	Gediz 160W E27 Alm. Highbay Lum. Empty	10
4080 701	Q402mm Glass Gasket Clips	10
4101 521	Q420mm Wire Cage	1
5212 1090	Gediz Empty E40	1
4080 702	Q482mm Glass Gasket Clips	1
4101 522	Q500mm Wire Cage	1

Ceyhan PC IP65/IP20

IP 65/20 ☺

Code No	Specifications	Pcs/Pack
5213 3310	Ceyhan Highbay Lum. Empty E27	4
5213 3320	Ceyhan Highbay Lum. Empty E40	4
5213 3331	Ceyhan 250W PC MH/SB Highbay Lum.	4

Fırat

IP 65/20 ☺

Code No	Specifications	Pcs/Pack
5212 1121	Fırat 250W E40 MH/SB Poly. Highbay Lum.	4
5212 1191	Fırat 400W E40 MH Poly. Highbay Lum.	4
5212 1201	Fırat 400W E40 SB Poly. Highbay Lum.	4
4080 702	Diffuser (482X4mm) Gasket and Latch	1
4101 522	400W Highbay Wire Cage	1



Pelsan Highbay Luminaires



Karpat LED Performance IP65 Highbay Luminaire

130 lm/W

- Clear tempered glass with film coating
- Suitable for high and low ceiling applications.

Options

- Emergency lighting kit
- External sensor application
- Hanging bracket for easy ceiling installation
- Dimmable driver application
- Corridor function

IP 65

Code No	Specifications	Pcs/Pack
5615 6461	Karpat LED Performance 40W 4000/6500K	1
5615 6471	Karpat LED Performance 75W 4000/6500K	1
5615 6481	Karpat LED Performance 110W 4000/6500K	1
5615 6491	Karpat LED Performance 150W 4000/6500K	1

Karpat LED Standard IP65 Highbay Luminaire

110 lm/W

- Clear tempered glass with film coating
- Suitable for high and low ceiling applications

Options

- Emergency lighting kit
- External sensor application
- Hanging bracket for easy ceiling installation
- Dimmable driver application
- Corridor function




IP 65

Code No	Specifications	Pcs/Pack
5615 6261	Karpat LED Standard 42W 4000/6500K	1
5615 6241	Karpat LED Standard 82W 4000/6500K	1
5615 6281	Karpat LED Standard 120W 4000/6500K	1
5615 6251	Karpat LED Standard 164W 4000/6500K	1



Karpat LED Frozen IP65 Highbay Luminaire

-Runs at high efficiency at temperatures as low as -40°C

- Suitable for use in cold storage and frozen products warehouses

Options

- Emergency lighting kit
- External sensor application
- Hanging bracket for easy ceiling installation
- Dimmable driver application
- Corridor function

IP 65

Code No	Specifications	Pcs/Pack
5615 6262	Karpat LED Frozen 42W 4000/6500K	1
5615 6242	Karpat LED Frozen 82W 4000/6500K	1
5615 6252	Karpat LED Frozen 164W 4000/6500K	1

Karpat T5 IP65 Highbay Luminaire

-High energy efficiency compared to HID Lamps

- Clear tempered glass with film coating
- Suitable for high and low ceiling applications.

Options

- Emergency lighting kit
- External sensor application
- Hanging bracket for easy ceiling installation
- Dimmable driver application




IP 65

Code No	Specifications	Pcs/Pack
5014 2972	Karpat 2X54W T5	1
5014 2992	Karpat 4X54W T5	1
5014 4882	Karpat 2X80W T5	1
5014 4962	Karpat 4X80W T5	1




Highbay Luminaires Pelsan

Sia IP65 LED Highbay Luminaire


Options

- Symmetric narrow medium-wide and asymmetric lens application.
- DaI Dim option
- Black, white and Grey Color options



- Power LED over 100.000 hours lifetime
- Aluminium injection frame
- Efficiency up to 125lm/W
- 1-10V Dim ,2-Step Dim Standard
- Solution for ceilings between 15- 25 m
- Safe with tempered glass

.....axbxcmm
 .75W :342x342x123
 .100W:342x342x123
 .125W:342x342x123



IP 65 ☺

Code No	Specifications	Pcs/Pack
5616 4421	Sia 75W 4000/6500K	1
5616 4431	Sia 100W 4000/6500K	1
5616 4441	Sia 125W 4000/6500K	1

Castor IP65 LED Highbay Luminaire



- Aluminium injection frame
- Easy installation with light body
- >90lm/W
- PC covered , glare-free diffuser
- Can be hanged with 30 cm chain

.....axbxcmm
 .100W:295x295x90
 .150W:345x345x95
 .200W:395x395x105



IP 40 ☺

Code No	Specifications	Pcs/Pack
5616 2810	Castor 100W 5000K	1
5616 2820	Castor 150W 5000K	1
5616 2830	Castor 200W 5000K	1

Logan IP44 Highbay Luminaire



- Suitable solution for food facilities
- PC diffuser
- 60% higher energy efficiency compared to HID Lamps
- Busbar hanging set for easy ceiling installation

.....axbxcmm
 2x54W :1210x190x82
 4x54W :1510x190x82
 2x80W :1210x190x82
 4x80W :1510x190x82



IP 44 ☺

Code No	Specifications	Pcs/Pack
5055 7272	Logan 2X54W T5	1
5055 7262	Logan 2X80W T5	1
5055 7322	Logan 4X54W T5	1
5055 7312	Logan 4X80W T5	1

Oriza IP65 Highbay Luminaire




IP 65 ☺ ● Hanging set option

Code No	Specifications	Pcs/Pack
5055 7352	Oriza 2X54W T5 Elec. Bal. 1285x180x95	1
5055 7362	Oriza 2X80W T5 Elec. Bal. 1595x180x95	1
5615 3311	Oriza LED 82W 4000/6500K 1285x180x95	1




Busbar Hanging Set

Suitable for all type of Karpas and Oriza luminaires



.....axbmm
 Busbar : 35x55
 Busbar : 23x45
 Busbar : 28x62

Code No	Specifications	Pcs/Pack
4001 449	Busbar Hanging Set 35x55	1
4001 468	Busbar Hanging Set 23x45	1
4001 469	Busbar Hanging Set 28x62	1





Pelsan Canopy Luminaires



- High efficiency Pelsan Canopy Luminaires
- Easy installation with light body
- Durable and modern appearance with fine aluminium structure
- Polymer injection reflector, maintaining its optical properties throughout lifetime of the luminaire without yellowing
- Lifetime over 50.000 hours with high efficiency components

Piroliz


IP65 LED Canopy Luminare



- Efficiency up to 125 lm/W
- Aluminium body
- Tempered glass

Options

- 1-10V Dim
- 2-Step Dim
- Symmetric narrow-medium-wide and asymmetric lens application



IP 65

Code No	Specifications	Pcs/Pack
5616 4071	Piroliz 75W 4000 / 6500K	1
5616 4081	Piroliz 100W 4000 / 6500K	1
5616 4091	Piroliz 125W 4000 / 6500K	1

Okta


IP65 LED Canopy Luminare



- Efficiency up to 100 lm/W
- Aluminium body
- Tempered glass

Options

- Dali, 1-10V Dim
- Black, white and Grey Color options



IP 65

Code No	Specifications	Pcs/Pack
5616 4341	Okta LED 80W 4000 / 6500K	1



Ex-Proof Luminaires Pelsan

ATEX Certified

- **Gas Explosion Proof: Zone 2**
 II 3G Ex nR IIC T5 Gc
- **Dust Explosion Proof : Zone 22**
 II 3D Ex tc IIIC (T95 C) Dc
- **Standards**
 EN 60079-0: 2012, EN 60079-15: 2010,
 EN 60079-31:2009
- **Certificate No**
 IEP 16 ATEX 0468
- **Zone Class**
 Zone 2
 Zone 22

Ex-Proof Luminaires can be safely used in potentially explosive environments where hazardous gas and dust are present




Pelsan Ex-Proof Luminaires can be used safely in

Chemical , paint and coating facilities,petroleum storage facilities, oil filling and discharging facilities,ports and shipyards,power plants & industrial plants, fueling stations

Piroliz – Ex-Proof IP66 LED Canopy Luminaire



- **Gas Explosion Protection:**  II 3G Ex nR IIC T5 Gc
- **Dust Explosion Protection:**  II 3D Ex tc IIIC (T95 C) Dc




IP 66

Code No	Specifications	Pcs/Pack
5616 4011	Piroliz Ex 50W 4000 / 6500K	1
5616 4021	Piroliz Ex 75W 4000 / 6500K	1
5616 4031	Piroliz Ex 100W 4000 / 6500K	1
5616 4041	Piroliz Ex 125W 4000 / 6500K	1

Sia – Ex-Proof IP66 LED Highbay Luminaire



- **Gas Explosion Protection:**  II 3G Ex nR IIC T5 Gc
- **Dust Explosion Protection:**  II 3D Ex tc IIIC (T95 C) Dc




IP 66

Code No	Specifications	Pcs/Pack
5616 4251	Sia Ex 50W 4000 / 6500K	1
5616 4261	Sia Ex 75W 4000 / 6500K	1
5616 4271	Sia Ex 100W 4000 / 6500K	1
5616 4281	Sia Ex 125W 4000 / 6500K	1

Nairo – Ex-Proof IP66 LED Floodlight



- **Gas Explosion Protection:**  II 3G Ex nR IIC T5 Gc
- **Dust Explosion Protection:**  II 3D Ex tc IIIC (T95 C) Dc



IP 66

Code No	Specifications	Pcs/Pack
5616 3611	Nairo Ex 50W 4000 / 6500K	1
5616 3621	Nairo Ex 75W 4000 / 6500K	1
5616 3631	Nairo Ex 100W 4000 / 6500K	1
5616 3641	Nairo Ex 125W 4000 / 6500K	1




Pelsan Wallwashers



Your Solution for High Rise Buildings IP65 Inovaled Wallwasher!

S.M. Wallwasher Inovaled Floodlight





IP 65

Code No	Specifications	Pcs/Pack
5614 1211	60W 3000 / 4000 / 6500K	1
5614 1231	90W 3000 / 4000 / 6500K	1

Recessed Mounted Wallwasher 50cm IP65

Configuration	Color Options
K154	3000K
K155	4000K
K156	6500K




IP 65

Code No	Specifications	Pcs/Pack
5614 0651	18 LEDs 56cm 4000K	1

Recessed Mounted Wallwasher 100cm IP65

Configuration	Color Options
K154	3000K
K155	4000K
K156	6500K



IP 65

Code No	Specifications	Pcs/Pack
5614 0641	36 LEDs 100cm 4000K	1



Wallwasher

Long Lifespan, Highly Efficient Pelsan IP65 Wallwasher

- IP65 Aluminium body immune to enviromental conditions
- Impact resistant , UV doped diffuser
- European LED
- Constant current, high efficiency
- Pelsan LED driver
- Air vent couplings protecting electronic components



Light Beam

15°

30°


45°+20°

Homogeneous light distribution

Surface Mounted Wallwasher IP65 Invoaled 30cm 12 LEDs



Config	Color
K172	Blue
K170	Green
K171	Red
K42	Amber
K69	RGB




IP 65

Code No	Specifications	Pcs/Pack
5614 1011	15W 15 Degree 3000 / 4000 / 6500K	4
5614 1041	15W 30 Degree 3000 / 4000 / 6500K	4
5614 1071	15W 45+20 Degree 3000 / 4000 / 6500K	4

Surface Mounted Wallwasher IP65 Invoaled 60cm 24 LEDs



Config	Color
K172	Blue
K170	Green
K171	Red
K42	Amber
K69	RGB




IP 65

Code No	Specifications	Pcs/Pack
5614 1021	30W 15 Degree 3000 / 4000 / 6500K	4
5614 1051	30W 30 Degree 3000 / 4000 / 6500K	4
5614 1081	30W 45+20 Degree 3000 / 4000 / 6500K	4

Surface Mounted Wallwasher IP65 Invoaled 90cm 36 LEDs



Config	Color
K172	Blue
K170	Green
K171	Red
K42	Amber
K69	RGB




IP 65

Code No	Specifications	Pcs/Pack
5614 1031	45W 15 Degree 3000 / 4000 / 6500K	4
5614 1061	45W 30 Degree 3000 / 4000 / 6500K	4
5614 1091	45W 45+20 Degree 3000 / 4000 / 6500K	4

Surface Mounted Wallwasher IP65 Invoaled Performance



Config	Color
K172	Blue
K170	Green
K171	Red
K42	Amber
K69	RGB



IP 65

Code No	Specifications	Pcs/Pack
5614 1151	Dual module 30W 24 LED 3000 / 4000 / 6500K	4
5614 1161	Dual module 60W 48 LED 3000 / 4000 / 6500K	4
5614 1171	Dual module 90W 72 LED 3000 / 4000 / 6500K	4



Pelsan LED Floodlights

More Savings with Automatic Night Mode!



Ria IP66 LED Floodlight

- Efficiency over 100lm/W
- European LED
- Symmetric and asymmetric light distribution
- 50.000 hours lifetime
- Angle adjustable console



Ria IP66 LED floodlight can optionally dim itself after a certain time of the night. This feature further reduces the energy consumption to a minimum, which is provided by the LED.

Ria IP66 Power

IP 66 ☺

Code No	Specifications	Pcs/Pack
5617 1701	100W Symmetric 4000K/6500K	1
5617 1711	150W Symmetric 4000K/6500K	1

Ria IP66 Power

• European Driver

IP 66 ☺

Code No	Specifications	Pcs/Pack
5617 1752	100W Symmetric 4000K/6500K	1
5617 1762	125W Symmetric 4000K/6500K	1
5617 1772	150W Symmetric 4000K/6500K	1

Ria IP66 Symmetric

IP 66 ☺

Code No	Specifications	Pcs/Pack
5617 1881	180W Symmetric 4000K/6500K	1
5617 1891	200W Symmetric 4000K/6500K	1
5617 1731	240W Symmetric 4000K/6500K	1

Ria IP66 Asymmetric

IP 66 ☺

Code No	Specifications	Pcs/Pack
5617 1841	200W Asymmetric 4000K/6500K	1
5617 1721	240W Asymmetric 4000K/6500K	1

Ria IP66 Power Lux

• European Driver

IP 66 ☺

Code No	Specifications	Pcs/Pack
5616 3571	140W Symmetric 4000K/6500K	1

Ria IP66 Power Lux

• European Driver



IP 66 ☺

Code No	Specifications	Pcs/Pack
5616 3581	215W Symmetric 4000K/6500K	1



LED Floodlights Pelsan



Liya

IP 65

Code No	Specifications	Pcs/Pack
5615 6731	103W Symmetric 4000K/6500K	1
5615 6732	154W Symmetric 4000K/6500K	1
5615 6733	180W Symmetric 4000K/6500K	1

Inovaed Floodlights

IP 65

Code No	Specifications	Pcs/Pack
5614 1221	60W	1
5614 1241	90W	1

Forino




IP 65

Code No	Specifications	Pcs/Pack
5616 3961	103W 64 LEDs 4000K/6500K	1

Forino Med




IP 65

Code No	Specifications	Pcs/Pack
5616 3972	59W 4000K/6500K	1
5616 3981	65W 4000K/6500K (Prismatic Diffuser)	1



Nairo




IP 65

Code No	Specifications	Pcs/Pack
5616 3671	75W 4000K/6500K	1
5616 3681	100W 4000K/6500K	1
5616 3791	125W 4000K/6500K	1

Under Rain

IP 65

Code No	Specifications	Pcs/Pack
5615 4001	12x1W 4000/6500K	20



Pelsan LED Floodlights

Franko 100W

IP 65

Code No	Specifications	Pcs/Pack
5617 1091	100W 6500K	4

Franko 70W

IP 65

Code No	Specifications	Pcs/Pack
5617 1081	70W 6500K	4

Franko 50-30W

IP 65

Code No	Specifications	Pcs/Pack
5617 1071	50W 6500K	6
5617 1051	30W 6500K	10
5615 6790	30W Green COB LED	10

Franko 20-10W

IP 65

Code No	Specifications	Pcs/Pack
5617 1041	20W 6500K	20
5617 1031	10W 6500K	40

Franko 30-20W with Sensor

IP 65

Code No	Specifications	Pcs/Pack
5617 1621	20W with Sensor 6500K	20
5617 1631	30W with Sensor 6500K	10

Franko Portable Tripot

IP 65 Suitable for 10W,20W,30W and 50W floodlights

Code No	Specifications	Pcs/Pack
5617 1671	10W Chargeable Franko 6500K	12
5617 1110	Floodlight Tripot	4



LED Floodlights Pelsan


Perform Same Power and Lumen Output Just as Declared!

▶ Franko Floodlight

- The same lumen output throughout its life
- High efficacy over 88lm/W
- 30.000 hours lifetime
- Aluminium body
- Adjustable console
- IP65 : Dust and water free




▶ Franko 400W



IP 65 ☺

Code No	Specifications	Pcs/Pack
5617 1411	400W 5000K	1
4201 532	400W Wire Grill	1


▶ Franko 300-250W



IP 65 ☺

Code No	Specifications	Pcs/Pack
5617 1401	300W 4000K / 5000K	1
5617 1391	250W 4000K / 5000K	1
4201 531	300W-250W Wire Grill	1


▶ Franko 200W



IP 65 ☺

Code No	Specifications	Pcs/Pack
5617 1381	200W 4000K / 5000K	1
4201 521	200W Wire Grill	1

▶ Franko 150W





IP 65 ☺

Code No	Specifications	Pcs/Pack
5617 1371	150W 4000K / 5000K	2
4201 511	150W Wire Grill	1



Pelsan Floodlights



Olimpiad 1000W-400w
Symmetric
Fiberglass

IP 65 ☺

Code No	Specifications	Pcs/Pack
5611 1081	1000W Metal, MH/SB	1
5612 1062	400W Metal MH	1


Euro 1000W Symmetric
Aluminium Injection

IP 65 ☺

Code No	Specifications	Pcs/Pack
5611 2701	1000W Metal, HPI-T	1



Stad 1000-2000W Symmetric
Aluminium Injection




IP 65 ☺

Code No	Specifications	Pcs/Pack
5611 4201	1000W/230V MH	1
5611 4202	2000W/380V MH	1


Marco 1000-2000W Symmetric
Aluminium Injection

IP 66 ☺

Code No	Specifications	Pcs/Pack
5611 2801	1000W MH/SB E40	1
5611 2802	2000W / 380V Metal E40	1

Bolivo 1000-2000W Asymmetric
Aluminium Injection

IP 65 ☺

Code No	Specifications	Pcs/Pack
5611 2511	1000W Asymmetric E40	1
5611 2512	2000W Asymmetric MHN-LA	1

Davos Asymmetric
Fiberglass




IP 65 ☺

Code No	Specifications	Pcs/Pack
5611 4512	150W RX7S	1



Floodlights Pelsan

Yeno 250-400W Symmetric
Fiberglass 




IP 65 

Code No	Specifications	Pcs/Pack
5611 1611	250W MH/SB HPI-T	2
5611 1613	400W SB SON-T	2
5611 1612	400W MH HPI-T	2

Levo
Aluminium Injection 




IP 65 

Code No	Specifications	Pcs/Pack
5321 1711	70W Metal CDM-T	4
5321 1712	150W Metal CDM-T	4
5999 5071	25W Levo LED	4

Elit Semiad 70-150W Asymmetric
Fiberglass 




IP 65 

Code No	Specifications	Pcs/Pack
5321 1801	70W MH/SB MHN-TD	4
5321 1802	150W MH/SB MHN-TD	4

Elit Lirad 70-150W Symmetric
Fiberglass 




IP 65 

Code No	Specifications	Pcs/Pack
5321 1901	70W MH/SB MHN-TD	6
5321 1902	150W MH/SB MHN-TD	6

Elit Pesato 250-400W Asymmetric
Fiberglass 




IP 65 

Code No	Specifications	Pcs/Pack
5611 1801	250W MH/SB HPI-T	1
5611 1802	400W MH HPI-T	1
5611 1803	400W SB SON-T	1

Tunnel250-400W
Aluminium Injection 




IP 65 

Code No	Specifications	Pcs/Pack
5322 1011	250W MH/SB E40	1
5322 1012	400W SB E40	1



Pelsan LED Road and Street Luminaires

Bari

IP 65 ☺

Code No	Specifications	Pcs/Pack
5615 5811	42W 4000K	4

Seul LED

IP 65 ☺

Code No	Specifications	Pcs/Pack
5615 6801	30W 4000K	10

Lima

IP 65 ☺

Code No	Specifications	Pcs/Pack
5615 6781	103W 4000 / 6500K	1
5615 6782	154W 4000 / 6500K	1
5615 6783	180W 4000 / 6500K	1

Tokyo

IP 65 ☺

Code No	Specifications	Pcs/Pack
5616 3841	77W 4000 / 6500K	1
5616 3861	103W 4000 / 6500K	1

Tokyo Med

IP 65 ☺

Code No	Specifications	Pcs/Pack
5616 3871	39W 4000 / 6500K	1
5616 3872	59W 4000 / 6500K	1

Catenary Luminaires

IP 65 ☺

Code No	Specifications	Pcs/Pack
5616 3873	Catenery Tokyo Med 39W 4000 / 6500K	1
5616 3874	Catenery Tokyo Med 59W 4000 / 6500K	1
5616 3881	Catenery Tokyo 103W 4000 / 6500K	1




LED Road and Street Luminaires Pelsan



Suitable to Road Classer M1-M2-M3-M4-M5

Dimmable Driver Option


Rio IP66 120 LED



IP 66

Code No	Specifications	Pcs/Pack
5616 5791	200W 120 LED 4000 / 6500K	1
5616 5721	240W 120 LED 4000 / 6500K	1


Rio IP66 80 LED



IP 66

Code No	Specifications	Pcs/Pack
5616 5751	100W 80 LED 4000 / 6500K	1
5616 5741	140W 80 LED 4000 / 6500K	1

Rio IP66 36 LED



IP 66

Code No	Specifications	Pcs/Pack
5616 5611	45W 36 LED 4000 / 6500K	1
5616 5621	65W 36 LED 4000 / 6500K	1



Pelsan Road and Street Luminaires



- IP66: Dust and Waterproof
- Polymer injection body
- IK08 standard compliant, heat and impact resistant, highly transmissive, clear tempered glass
- Entry console of radius 42-60 mm enabling installation from below or sides
- Magnetic ballast with thermal cut-out application
- Daylight sensitive photocell application

Roma
Polymer Injection

IP 66 ☺

Code No	Specifications	Pcs/Pack
5211 6313	250W SB SON-T	1
5211 6314	400W SB SON-T	1

Sofia
Polymer Injection

IP 65 ☺

Code No	Specifications	Pcs/Pack
5211 6211	Sofia 100 W Sodium SON-T	2
5211 6212	Sofia 150 W Sodium SON-T	2

Riga
Polymer Injection

IP 65 ☺

Code No	Specifications	Pcs/Pack
5211 6011	Riga 50 W Sodium SON-T	2
5211 6012	Riga 70 W Sodium SON-T	2

Seul
Polymer Injection

IP 65 ☺

Code No	Specifications	Pcs/Pack
5211 6411	65W Empty PLE	10

Ibiza
Fiberglass

IP 54 / 43 ☺

Code No	Specifications	Pcs/Pack
5211 3242	85 W Empty PLE	5
5211 3240	160 W Empty ML	5
5211 3241	125 W Mercury HPL-N	5
5211 3244	70 W Sodium SON-T	5

Corfu
Fiberglass

IP 54 / 43 ☺

Code No	Specifications	Pcs/Pack
5211 1110	250W Empty ML	1
5211 1116	250W Mercury HPL-N	1
5211 1115	250W Sodium SON-T	1
5211 1118	400W Sodium SON-T	1



Road and Street Luminaires Pelsan

Lyon Aluminium Injection

IP 65 / 43

Code No	Specifications	Pcs/Pack
5211 5011	100 W Sodium SON-T	1
5211 5012	150 W Sodium SON-T	1
5211 5013	250 W Sodium SON-T	1
5211 5014	400 W Sodium SON-T	1

Parma Aluminium

IP 54 / 43

Code No	Specifications	Pcs/Pack
5211 1010	160W Empty ML	5
5211 1013	125W Mercury HPL-N	5
5211 1014	150W Sodium SON-T	5

Bakü Tempered Glass Aluminium

IP 65 / 43

Code No	Specifications	Pcs/Pack
5211 1613	150W Sodium SON-T	1
5211 1614	250W Sodium SON-T	1
5211 1616	400W Sodium SON-T	1

Como - Kiev Aluminium

IP 54

Code No	Specifications	Pcs/Pack
5211 1131	Como 250W MH/SB	1
5211 1135	Como 400W Sodium E40	1
5211 1133	Como 400W MH	1
5211 3010	Kiev 250W Empty E40	1
5211 3014	Kiev 250W Sodium E40	1

Davos Fiberglass

IP 65

Code No	Specifications	Pcs/Pack
5211 3314	150W SON E40	1
5211 3316	150W MH R7S	1
4101 586	A1 Console	1
4101 587	A2 Console	1

Consoles

Code No	Specifications	Pcs/Pack
4065 111	Adaptor	1
4101 551	Console 60cm	25
4101 561	Wall type console 60 cm Ø42 adaptor 60 cm	25
4101 574	Pole type console Ø60 adaptor	1
4101 571	Set-top console 60cm	1
4101 572	Console with bradlet	1
4101 562	Wall type console 30 cm Ø42 adaptor	1
3035 451	Ø42 - Ø60 Console adaptor	1
4065 111	Bradlet	1



Pelsan LED Road and Street Luminaires



Power from Nature!

Rio Solar

- Economic solution in areas where there are no power lines
- Autonomous time : 2 Days
- A complete system solution

Rio Solar

IP 65 ☺

Code No	Specifications	Pcs/Pack
5616 5651	20W 36 LED Road Luminaire	1
5616 5661	40W 36 LED Road Luminaire	1

Rio Solar Luminaire

- ▶ European Origin Power LED
- ▶ High Efficiency Driver
- ▶ European Lens
- ▶ Efficiency over 100lm/W

Rio Solar System

Code No	Specifications	Pcs/Pack
5616 5671	20W Solar System (Luminaire - System-4 m.Pole)	1
5616 5681	40W Solar System (Luminaire - System-4 m.Pole)	1

Solar Panel

- ▶ High efficiency monocrystal panel
- ▶ Terminal box according to ambient conditions
- ▶ Special surface that collects sunlight
- ▶ Self-cleaning dirt-repellent surface
- ▶ EVA protection against aging

Battery

- ▶ Long-lasting and maintenance-free gel battery
- ▶ High performance
- ▶ Environment-resistant construction

Solar Charger

- ▶ Ideal charging mode with special software
- ▶ Voltage-current control extending system lifetime
- ▶ Extends battery life.





LED Park and Garden Luminaires




Soho

- 2-Step Dimming Application
- Highly Efficient European LED chip and Driver
- Modular Design



IP Class	IP65
Body	Aluminium
Recommended height of application	4 - 6 m
LED Chip	European LED chip
LED Driver	European Driver
Diameter of Console	76 mm

Time Setting Option



Soho

Code No	Specifications	Pcs/Pack
5714 1501	Soho 1 25W LED 4000 / 6500K with 4m.pole	1
5714 1521	Soho 2 50W LED 4000 / 6500K with 4m.pole	1
5714 1541	Soho 3 75W LED 4000 / 6500K with 4m.pole	1
5714 1561	Soho 4 75W LED 4000 / 6500K with 4m.pole	1



Pelsan Park and Garden Luminaires


Davos



IP 65 ☺

Code No	Specifications	Pcs/Pack
5611 4512	150W Rx7S	1
4101 512	B1 Console	1
4101 513	B2 Console	1


Datça



IP 65 ☺

Code No	Specifications	Pcs/Pack
5723 1011	150W G12	1
5723 0810	30W LED	1
5985 9810	RGB Control Device	1

Kos




IP 65 ☺

Code No	Specifications	Pcs/Pack
5723 1311	150W G12	1
5723 1312	150W G12 4,5m Pole	1



LED Park and Garden Luminaires Pelsan


Samos



IP 65

Code No	Specifications	Pcs/Pack
5740 1321	150W G12 4,5 Drk	1
5740 1330	50W COB LED 4,5m Pole	1


Limra LED



IP 65

Code No	Specifications	Pcs/Pack
5711 2632	150W E40	1
5711 3051	38W 3 LEDs	1
5711 3021	80W 5 LEDs	1

Patras LED



IP 65


Code No	Specifications	Pcs/Pack
5740 1031	150W Rx7S	1
5615 6824	68W LEDs	1



Pelsan LED Park and Garden Luminaires

Evaled

520mm



Ø90mm

3500mm


Ø200mm

IP 65 ☺

Code No	Specifications	Pcs/Pack
5711 3061	40W LEDs	1

Mesaled

650mm



Ø90mm

3500mm

Ø200mm

IP 65 ☺


Code No	Specifications	Pcs/Pack
5711 3081	30W LEDs	1
5711 3091	60W LEDs	1
5711 3101	60 / 30W LEDs	1





LED Park and Garden Luminaires Pelsan

Olimpos




Please consult your sales rep for customized Olimpos designs for you

IP 65

Code No	Specifications	Pcs/Pack
5730 1371	75W LEDs	1
5714 1381	50W LEDs	1

Olimpos




Please consult your sales rep for customized Olimpos designs for you

IP 65

Code No	Specifications	Pcs/Pack
5714 1391	100W LEDs	1

Olimpos



Please consult your sales rep for customized Olimpos designs for you


IP 65

Code No	Specifications	Pcs/Pack
5714 1401	75W LEDs	1
5714 1411	50W LEDs	1



Pelsan LED Park and Garden Luminaires


Alinda



IP 65 ☺

Code No	Specifications	Pcs/Pack
5714 1311	25W LEDs	1


Assos



IP 65 ☺

Code No	Specifications	Pcs/Pack
5714 1321	100W LEDs	1


Misis



IP 65 ☺

Code No	Specifications	Pcs/Pack
5714 1331	100W LEDs	1

Milas




IP 65 ☺

Code No	Specifications	Pcs/Pack
5615 4731	100W LEDs	1



LED Park and Garden Luminaires Pelsan

Mindos



IP 65

Code No	Specifications	Pcs/Pack
5714 1341	125W LEDs	1


Patara



IP 65

Code No	Specifications	Pcs/Pack
5714 1351	125W LEDs	1

Sedir




IP 65

Code No	Specifications	Pcs/Pack
5714 1361	125W LEDs	1



Pelsan LED Park and Garden Pole Luminaires

Milet



IP 65 ☹

Code No	Specifications	Pcs/Pack
5615 4761	40W LEDs	1

Bitez




IP 65 ☹

Code No	Specifications	Pcs/Pack
5615 4711	100W LEDs	1



Park and Garden Pole Luminaires Pelsan


Temi



IP 54

Code No	Specifications	Pcs/Pack
5715 1260	Temi Pole	1

Ruso



IP 54

Code No	Specifications	Pcs/Pack
5714 1200	Ruso Single Casting Base Pole E27	1
5714 1210	Ruso Double Casting Base Pole E27	1
5711 1670	Ruso Wall Applique E27	1

Açelya



IP 54

Code No	Specifications	Pcs/Pack
5730 1730	Açelya Lantern Applique E27	10
5730 1740	Açelya Wall Top Lantern E27	10

Karo



IP 54

Code No	Specifications	Pcs/Pack
5730 1610	Karo Lantern Applique E27	10
5730 1620	Karo Wall Top Lantern E27	10



Pelsan Park and Garden Luminaire Sets

Uruse

IP 54

Code No	Specifications	Pcs/Pack
5714 1420	Uruse Pipe Pole E27	1
5711 1790	Uruse Wall Applique E27	1

Pisa

IP 54

Code No	Specifications	Pcs/Pack
5715 1300	Pisa Pipe Pole Luminaire E27	1
5718 1260	Pisa Grass Luminaire E27	1
5712 1330	Pisa Wall Top Luminaire E27	1

Perge

IP 54

Code No	Specifications	Pcs/Pack
5716 1110	Perge Pole Luminaire E27	1
5718 1720	Perge Grass Luminaire E27	1
5711 1180	Perge Applique E27	1

Pedesa



IP 54

Code No	Specifications	Pcs/Pack
5715 3060	Pedesa 1 Transparent Globe E27	1
5715 1060	Pedesa 2 Transparent Globe E27	1
5715 1370	Pedesa 3 Transparent Globe E27	1



Park and Garden Luminaire Sets



Antalya (Aluminium)



IP 54

Code No	Specifications	Pcs/Pack
5715 1380	Antalya With Single Pole E27	1
5715 1390	Antalya With Double Pole E27	1
5718 1850	Antalya Grass Luminaire E27	1
5711 2300	Antalya Applique E27	1




Eva



IP 54

Code No	Specifications	Pcs/Pack
5715 1290	Pipe Pole Luminaire E27	1
5718 1310	Eva Grass Luminaire E27	1
5712 1340	Eva Wall Top E27	1
5711 2510	Eva Applique E27	1

Arta



IP 54

Code No	Specifications	Pcs/Pack
5719 1110	Arta Pipe Pole Luminaire E27	1
5718 1430	Arta Grass Luminaire E27	1
5712 1220	Arta Wall Top E27	1
5711 2500	Arta Applique E27	1



Pelsan Grass Luminaires

Milas

IP 54

Code No	Specifications	Pcs/Pack
5718 1710	Milas Grass Luminaire E27	1
5718 1730	Milas LED Grass Luminaire20W	1

Milet - Arta

IP 54

Code No	Specifications	Pcs/Pack
5615 4721	Milet LEDs Grass Luminaire	1
5718 1430	Arta Grass Luminaire E27	1

Briled

IP 54

Code No	Specifications	Pcs/Pack
5730 4680	5W Applique 4000K	6
5730 7530	5W Grass Luminaire 4000K	6
5730 4670	2x5W Applique 4000K	6

Noa - Fia

IP 54

Code No	Specifications	Pcs/Pack
5718 1580	Noa Grass Luminaire E27	1
5718 1250	Fia Grass Luminaire E27	1

Pedesa - Perge

IP 54

Code No	Specifications	Pcs/Pack
5718 1330	Pedesa Grass Luminaire E27	1
5718 1720	Perge Grass Luminaire E27	1

Eva

IP 54

Code No	Specifications	Pcs/Pack
5718 1310	Eva Grass Luminaire E27	1



Outdoor Appliques Pelsan

Mezzo 



IP 54 

Code No	Specifications	Pcs/Pack
5616 3310	6W LED 3000K	6
5616 3340	9W LED 3000K	10

Cono 



IP 54 

a x b x c mm
5W: 170x84x47
6W: 303x101x61


Code No	Specifications	Pcs/Pack
5616 3330	5W LED 3000K	20
5615 7851	6W LED 3000K	6


Verso 




IP 54 

Code No	Specifications	Pcs/Pack
5616 3320	6W LED 3000K	12

Cubo 



IP 54 


Code No	Specifications	Pcs/Pack
5712 1410	Cubo E27	6


Rayo 




IP 54 


Code No	Specifications	Pcs/Pack
5712 1440	Rayo E27	8


Işıldar 




IP 44 


Code No	Specifications	Pcs/Pack
5730 3210	Işıldar E27	6


Işıközü Applique 




IP 44 


Code No	Specifications	Pcs/Pack
5730 3410	Işıközü E27	12


Işıközü With Sensor Applique 




IP 44 


Code No	Specifications	Pcs/Pack
5730 3420	With Sensor E27	12

Briled 



IP 54 

Code No	Specifications	Pcs/Pack
5730 4670	2x5W Applique 4000K	6
5730 4680	5W Applique 4000K	6

Dora LED 



IP 44 

Code No	Specifications	Pcs/Pack
5732 5110	3W 4000K	24

Işılay 



IP 44 

Code No	Specifications	Pcs/Pack
5730 4610	Işılay1 E27	18
5730 4620	Işılay2 E27	12

Işıl 



IP 44 


Code No	Specifications	Pcs/Pack
5730 3310	Işıl E27	12



Pelsan Recessed Wall Appliques & Pool Luminaires

Escaled S
Recessed Wall Applique

Aluminium Injection



65x65mm


70mm
60mm

IP 54 ☺

Code No	Specifications	Pcs/Pack
5730 9060	Escaled S 9 LEDs 4000K	50

Escaled
Recessed Wall Applique

Aluminium Injection



95x95mm

105mm
60mm

IP 54 ☺

Code No	Specifications	Pcs/Pack
5730 9080	Escaled 12 LEDs 4000K	30

Dialed
Recessed Wall Applique

Aluminium Injection



Ø115mm

65mm

Ø125

IP 54 ☺

Code No	Specifications	Pcs/Pack
5730 9030	Dialed 4000K	24

Leraled S
Recessed Wall Applique

Aluminium Injection




110mm
45mm
60mm

IP 54 ☺

Code No	Specifications	Pcs/Pack
5730 9040	Leraled S 14 LEDs 4000K	40

Leraled
Recessed Wall Applique

Aluminium Injection



159x55mm


170mm
70mm
60mm

IP 54 ☺

Code No	Specifications	Pcs/Pack
5730 9050	Leraled 18 LEDs 4000K	25

Pialed
Recessed Wall Applique

Aluminium Injection



Ø115mm


125mm
65mm
125mm

IP 54 ☺

Code No	Specifications	Pcs/Pack
5730 9010	Pialed 4000K	24

Indiled
Recessed Wall Applique

Aluminium Injection



134x81mm


162mm
98mm
66mm

IP44 ☺

Code No	Specifications	Pcs/Pack
5732 1690	Indiled 4000K	20

Doris Recessed Mounted
Pool Luminaire 12V

Polymer Injection



Ø250mm


88mm

IP68 ☺

Code No	Specifications	Pcs/Pack
5412 1520	Doris 36W 6500K	1
5412 1530	Doris 36W RGB	1
5913 1311	150W Driver	1

Doris Surface Mounted
Pool Luminaire 12V

Polymer Injection



Ø250mm

50mm

IP68 ☺

Code No	Specifications	Pcs/Pack
5412 1510	Doris 36W 6500K	1
5913 1311	150W Driver	1

LED Recessed
Pool Luminaire 24V

Aluminium Injection



Ø360mm

150mm
240mm

IP 68 ☺

Code No	Specifications	Pcs/Pack
5412 1270	LED Built-in 12W RGB	1
5985 9340	60W 24V Power Supply	1
5985 9360	100W 24V Power Supply	1

12w LED
Underwater Luminaire 24V

Aluminium Injection



180mm
136mm

IP 68 ☺

Code No	Specifications	Pcs/Pack
5412 1360	12 W LED (Warm White)	1
5985 9340	60W 24V Power Supply	1
5985 9360	100W 24V Power Supply	1

Grassled
Grass Luminaire

Aluminium Injection



IP 65 ☺

Code No	Specifications	Pcs/Pack
5732 7010	GrassLED 3W 6500K	20
5732 7090	GrassLED 3W Green	20
5732 7020	Grounding Tool	4



Recessed Floor Luminaires Pelsan



LED Recessed Floor Luminaire 20
15 LEDs




IP65 ☺

Code No	Specifications	Pcs/Pack
5732 3120	15W LED Recessed Floor Luminaire 20 4000K	8

LED Recessed Floor Luminaire 15
9 LEDs

IP65 ☺

Code No	Specifications	Pcs/Pack
5732 3020	9W LED Recessed Floor Luminaire 15 4000K	12


Midiled
3 LEDs




IP65 ☺

Code No	Specifications	Pcs/Pack
5732 1680	3W Midiled 4000K	20

Miniled




IP65 ☺

Sold triple with driver

CodeNo	Specifications	Pcs/Pack
5732 1020	Mini LED Recessed Floor Luminaire Blue	12

Recessed Floor Luminaire 11
G10 Base (Lamp Excluded)

IP 67 ☺

Code No	Specifications	Pcs/Pack
5732 2510	Monoled Recessed Floor Luminaire - Unidirectional	30
5732 2520	Duoled Recessed Floor Luminaire - Bidirectional	30
5732 2530	Tetraled Recessed Floor Luminaire - Four-way	30
5732 2540	Multiled Recessed Floor Luminaire - Multidirectional	30



Pelsan LED Lamps



Win Twice

Energy and Money Saving



● 15 times more environmentally friendly than other lamps



LED Globe Lamps



Code No	Specifications	Pcs/Pack
5981 2660	5W 2700K E27	100
5981 2650	5W 6400K E27	100
5981 2680	7W 2700K E27	100
5981 2690	7W 6400K E27	100

Code No	Specifications	Pcs/Pack
5981 2740	10W 2700K E27	100
5981 2790	10W 6400K E27	100
5981 2850	15W 6500K E27	20

Dimmable LED Lamp



Code No	Specifications	Pcs/Pack
5981 4010	10W 6500K E27	50

Chargeable LED Lamp



Code No	Specifications	Pcs/Pack
5981 4050	10W 6500K E27	50

Candle LED Lamp (E14-E27)



Code No	Specifications	Pcs/Pack
5981 2530	4W 2700K E14	100
5981 2540	4W 6500K E27	100

Capsule Lamp (G4-G9)



Code No	Specifications	Pcs/Pack
5983 1410	3W Capsule 4000K G4	100
5983 1420	3W Capsule 4000K G9	100



LED Lamps **Pelsan**

Candle Filament Lamp

Code No	Specifications	Pcs/Pack
5982 2040	4W Candle Filament Lamp E27 3000K	100
5982 2060	4W Candle Filament Lamp E27 6500K	100

Curved Candle Filament Lamp

Code No	Specifications	Pcs/Pack
5982 2030	4W Curved Candle Filament Lamp E14 3000K	100

Filament Lamp (Ø60)

Code No	Specifications	Pcs/Pack
5982 2050	4W Filament Lamp E27 3000K	100

Filament Lamp (Ø95)

Code No	Specifications	Pcs/Pack
5982 2080	6W Filament Lamp E27 3000K	20

Filament Lamp (Ø125)

Code No	Specifications	Pcs/Pack
5982 2090	6W Filament Lamp E27 3000K	20

Filament Lamp (Ø64)

Code No	Specifications	Pcs/Pack
5982 2070	6W Filament Lamp E27 3000K	40



Pelsan LED Lamps



Convert without changing

LED Tube Lamps




Code No	Specifications	Pcs/Pack
5985 5180	9W 4000K LED Tube G13	25
5985 5190	9W 6500K LED Tube G13	25
5985 5220	18W 4000K LED Tube G13	25
5985 5210	18W 6500K LED Tube G13	25

Code No	Specifications	Pcs/Pack
5985 5260	24W 4000K LED Tube G13	25
5985 5250	24W 6500K LED Tube G13	25
5913 1460	9-18W LED Tube Convertor Kit	100

30w LED Lamp



Aluminium Base




Code No	Specifications	Pcs/Pack
5981 2860	30W 6500K E27	20

40w LED Lamp



Aluminium Base




Code No	Specifications	Pcs/Pack
5981 2870	40W 6500K E27	20

24w LED Lamp



Aluminium Base




Code No	Specifications	Pcs/Pack
5981 2840	24W 6500K E27	25

Circular LED Lamp



Aluminium Base



Code No	Specifications	Pcs/Pack
5981 3010	18W Circular Ø24 E27 6500K	20



Sodium Lamps

axbmm
 50W:160x38
 70W:160x38
 100W:204x46
 150W:204x46

Code No	Specifications	Pcs/Pack
5984 5010	50 2000K E27	25
5984 5020	70W 2000K E27	25
5984 5030	100W 2000K E40	24
5984 5040	150W 2000K E40	24

Sodium Lamps

axbmm
 150W: 244x46
 250W: 270x46
 400W:360x66.5

Code No	Specifications	Pcs/Pack
5984 5050	250W 2000K E40	24
5984 5060	400W 2000K E40	24
5984 5070	1000W 2000K E40	20

Metal Lamps

axbmm
 150W:204x46
 250W:247x46

Code No	Specifications	Pcs/Pack
5984 6560	150W 5500K E40	24
5984 6070	250W 5500K E40	24

Metal Lamps

axbmm
 400W:267x46
 1000W:367x66

Code No	Specifications	Pcs/Pack
5984 6080	400W 5500K E40	24
5984 6020	1000W 5500K E40	20

Metal Lamps

axbmm
 70W G12 : 89x22,5
 150W G12 : 99x22,5
 70W Rx7s: 116x22,5
 150W Rx7s: 137x23,5

Code No	Specifications	Pcs/Pack
5984 6510	70W 5500K G12	100
5984 6520	150W 5500K G12	100
5984 6540	70W 3000K G12	100
5984 6550	150W 3000K G12	100
5984 6010	70W 5500K Rx7s	100
5981 6110	150W 5500K Rx7s	100

Par Lamp

5981 2210 5981 2710

Code No	Specifications	Pcs/Pack
5981 2710	12X1W PAR30 Lamp 4000K E27	20
5981 2720	12X1W PAR38 Lamp 6500K E27	20
5981 2730	11X1W PAR30 Lamp 4000K E27	20
5981 2210	7X1W PAR30 Lamp 6500K E27	20

Power LED Lamp & COB LED Lamp

5981 1120 5981 2920

Code No	Specifications	Pcs/Pack
5981 1120	3X1W 6500K GU10	100
5981 2920	5W COB 3000K GU10	200

Power LED Lamp

5981 1170 5981 1320

Code No	Specifications	Pcs/Pack
5981 1170	3X1W 4000K GU10	200
5981 1320	3X1W 3000K GU5,3	200
5981 1310	3X1W 6500K GU5,3	200



Pelsan LED Strip and Drivers

- 30.000 hours lifetime
- 3M adhesive bands
- 3 lamp modules
- 12Vdc rated



Indoor LED Strip Single Chip IP20



12V DC IP 20

Code No	Specifications	Pcs/Pack1
5985 3010	IP20 SMD LED White 5 meter	1
5985 3020	IP20 SMD LED Yellow 5 meter	1
5985 3030	IP20 SMD LED Red 5 meter	1
5985 3040	IP20 SMD LED Green 5 meter	1
5985 3050	IP20 SMD LED Blue 5 meter	1
5985 3060	IP20 SMD LED Warm White 5 meter	1
5985 3080	IP20 SMD LED Amber 5 meter	1


Outdoor LED Strip Single Chip IP65



12V DC IP 65

Code No	Specifications	Pcs/Pack
5985 2310	IP65 SMD LED White 5 meter	1
5985 2320	IP65 SMD LED Yellow 5 meter	1
5985 2330	IP65 SMD LED Red 5 meter	1
5985 2340	IP65 SMD LED Green 5 meter	1
5985 2350	IP65 SMD LED Blue 5 meter	1
5985 2360	IP65 SMD LED Warm White 5 meter	1
5985 2380	IP65 SMD LED Amber 5 meter	1


Indoor LED Strip Triple Chip IP20



12V DC IP 20

Code No	Specifications	Pcs/Pack
5985 3210	IP20 SMD LED White 5 meter	1
5985 3220	IP20 SMD LED Yellow 5 meter	1
5985 3230	IP20 SMD LED Red 5 meter	1
5985 3240	IP20 SMD LED Green 5 meter	1
5985 3250	IP20 SMD LED Blue 5 meter	1
5985 3260	IP20 SMD LED Warm White 5 meter	1
5985 3270	IP20 SMD LED RGB 5 meter	1

Outdoor LED Strip Triple Chip IP65



12V DC IP 65

Code No	Specifications	Pcs/Pack
5985 2510	IP65 SMD LED White 5 meter	1
5985 2520	IP65 SMD LED Yellow 5 meter	1
5985 2530	IP65 SMD LED Red 5 meter	1
5985 2540	IP65 SMD LED Green 5 meter	1
5985 2550	IP65 SMD LED Blue 5 meter	1
5985 2560	IP65 SMD LED Warm White 5 meter	1
5985 2580	IP65 SMD LED Amber 5 meter	1
5985 2570	IP65 SMD LED RGB 5 meter	1

Constant Current 12V IP20 LED Drivers



IP 20

Code No	Specifications	Single Chip	Triple Chip	Pcs/Pack
5918 2410	30W 12V 2,5A	max 5m	max 2,5m	1
5918 2420	60W 12V 5A	max 12m	max 5m	1
5918 2430	100W 12V 8,5A	max 20m	max 8m	1
5918 2440	150W 12V 12,5A	max 30m	max 12m	1
5918 2450	200W 12V 17A	max 40m	max 15m	1
5918 2460	360W 12V 30A	max 50m	max 30m	1

Constant Current 12V IP67 LED Drivers





IP 67

Code No	Specifications	Single Chip	Triple Chip	Pcs/Pack
5918 2470	60W 12V 5A	max 12m	max 5m	1
5918 2480	100W 12V 8,5A	max 20m	max 8m	1



LED Bar and Drivers

Custom Solution for Every Space!



- Recessed , surface and corner options
- IP67 outdoor , IP20 indoor applications
- 30/50/100/200 cm lenght
2700/3000/4000/6500K
- Red/Green/Blue/Amber
- 60/120 LEDs options

Indoor LED Bar IP20



Code No	Specifications	Pcs/Pack
5618 1114	LED Bar Surface Mount. 19W 60 LED/m 100 cm	1
5618 3114	LED Bar Corner 19W 60 LED/m 100 cm	1
5618 2114	LED Bar Recessed Mount 19W 60 LED/m 100 cm	1
5618 1314	LED Bar Surface Mount 29W 120 LED/m 100 cm	1
5618 3314	LED Bar Corner 29W 120 LED/m 100 cm	1
5618 2314	LED Bar Recessed Mount 29W 120 LED/m 100 cm	1

Outdoor LED Bar IP67



Code No	Specifications	Pcs/Pack
5618 1124	LED Bar Surface Mount 19W 60 LED/m 100 cm	1
5618 3124	LED Bar Corner 19W 60 LED/m 100 cm	1
5618 2124	LED Bar Recessed Mount 19W 60 LED/m 100 cm	1
5618 1324	LED Bar Surface Mount 29W 120 LED/m 100 cm	1
5618 3324	LED Bar Corner 29W 120 LED/m 100 cm	1
5618 2324	LED Bar Recessed Mount 29W 120 LED/m 100 cm	1

Indoor LED Bar Drivers



Code No	Specifications	60 LED/m	120 LED/m	Pcs/Pack
5918 2611	60W 24V 2,5A	max 3m	max 2m	1
5918 2620	120W 24V 5A	max 6m	max 4m	1
5918 2630	200W 24V 8,3A	max 9m	max 6m	1
5918 2640	360W 24V 15A	max 16m	max 12m	1

Outdoor LED Bar Drivers



Code No	Specifications	60 LED/m	120 LED/m	Pcs/Pack
5918 2650	150W 24V 6,25A	max 6m	max 4m	1
5918 2660	200W 24V 8,3A	max 9m	max 6m	1

Diffuser Types

Code No	Specifications	Pcs/Pack
4301 662	Frosted Curved (Surface Mounted LED Bar)	100 cm Cam
4301 652	Transparent Curved (Surface Mounted LED Bar)	100 cm Cam
4301 642	Opal Curved (Surface Mounted LED Bar)	100 cm Cam
4301 692	Frosted Flat (Recessed Mounted / Corner LED Bar)	100 cm Cam
4301 682	Transparent Flat (Recessed Mounted / Corner LED Bar)	100 cm Cam
4301 672	Opal Flat (Recessed Mounted / Corner LED Bar)	100 cm Cam



Pelsan LED Drivers

30W IP20
Constant Current Driver (12V)

ultra slim

IP 20 ⊕

Code No	Specifications	Pcs/Pack
5918 2411	30W 12V 2,5A	120

60W IP20
Constant Current Driver (12V)

ultra slim

IP 20 ⊕

Code No	Specifications	Pcs/Pack
5918 2421	60W 12V 5A	77

100W IP20
Constant Current Driver (12V)

ultra slim

IP 20 ⊕

Code No	Specifications	Pcs/Pack
5918 2431	100W 12V 8,5A	45

150W IP20
Constant Current Driver (12V)

ultra slim

IP 20 ⊕

Code No	Specifications	Pcs/Pack
5918 2441	150W 12V 12,5A	45

200W IP20
Constant Current Driver (12V)

ultra slim

IP 20 ⊕

Code No	Specifications	Pcs/Pack
5918 2451	200W 12V 17A	42

200W IP20
Constant Current Driver (12V)

IP 20 ⊕

Code No	Specifications	Pcs/Pack
5918 2450	200W 12V 17A	36

360W IP20
Constant Current Driver (12V)

IP 20 ⊕

Code No	Specifications	Pcs/Pack
5918 2460	360W 12V 30A	32

60W IP67
Constant Current Driver (12V)

IP 67 ⊕

Code No	Specifications	Pcs/Pack
5918 2470	60W 12V 5A	100

100W IP67
Constant Current Driver (12V)

IP 67 ⊕

Code No	Specifications	Pcs/Pack
5918 2480	100W 12V 8,5A	72

24V IP20
Constant Current Driver

IP 20 ⊕

Code No	Specifications	Pcs/Pack
5918 2611	60W 24V 2,5A	100
5918 2620	120W 24V 5A	32

24V IP20
Constant Current Driver

IP 20 ⊕

Code No	Specifications	Pcs/Pack
5918 2630	200W 24V 8,3A	36
5918 2640	360W 24V 15A	32

24V IP67
Constant Current Driver


IP 67 ⊕

Code No	Specifications	Pcs/Pack
5918 2650	150W 24V 6,25A	10
5918 2660	200W 24V 8,3A	10




Ballasts and Emergency Lighting Kits

High Pressure Metal Halide Ballasts




Power (W)	Dimensions (axbxcmm)
35W	155x42x33
70W	116x64x54
150W	122x78x66
250W	135x93x79
400W	135x93x79
1000W	197x126x138
2000W	225x126x138




IP 40

Code No	Specifications	Pcs/Pack
5912 1181	Metal Halide 35W	24
5912 1211	Metal Halide 70W	16
5912 1221	Metal Halide 150W	8
5912 1231	Metal Halide 250W	4
5912 1241	Metal Halide 400W	4
5912 1251	Metal Halide 1000W	2
5912 1261	Metal Halide 2000W (380V)	1

High Pressure Sodium Ballasts




Power (W)	Dimensions (axbxcxdkmm)
50W	116x64x54
70W	116x64x54
100W	116x64x54
150W	122x78x66
250W	135x93x72
400W	156x93x69
600W	178x126x138
1000W	197x126x138




IP 40

Code No	Specifications	Pcs/Pack
5912 1071	Sodium 50W	16
5912 1101	Sodium 70W	16
5912 1081	Sodium 100W	16
5912 1111	Sodium 150W	4
5912 1121	Sodium 250W	4
5912 1131	Sodium 400W	2
5912 1161	Sodium 600W	2
5912 1141	Sodium 1000W	2

Metal Kits




Power (W)	Dimensions (axbxcmm)
35W	185x115x88
70W	150x64x54
150W	166x77x65
250W	205x93x79
400W	232x93x79
1000W	246x126x138




IP 20

Code No	Specifications	Pcs/Pack
5511 2481	Metal Kit 35W Balast + Ignitor	4
5511 2431	Metal Kit 70W Balast + Ignitor	4
5511 2441	Metal Kit 150W Balast + Ignitor	4
5511 2451	Metal Kit 250W Balast + Ignitor	4
5511 2461	Metal Kit 400W Balast + Ignitor	4
5511 2981	Metal Kit 1000W Balast + Ignitor	1

Greenhouse Kits





Power (W)	Dimensions (axbxcmm)
250W	205x93x79
400W	232x93x79
600W	246x126x138
1000W	246x126x138



IP 20

Code No	Specifications	Pcs/Pack
5511 2391	Greenhouse Ballast Kit 400W	4
5511 2401	Greenhouse Ballast Kit 600W	1


Silver Fluorescent Ballast


IP 40

Code No	Specifications	Pcs/Pack
5911 3001	15W TLD	36
5911 3061	20W TLD	36
5911 3091	32W TLD	36
5911 3071	36-40W TLD	36

Electronic Ballast



Power (W)	Dimensions (axbxcxdkmm)
1x18W	295x31x29x285
2x18W	295x31x29x285
1x36W	295x31x29x285
2x36W	295x31x29x285
4x14W	332x34x32x322



IP 40

Code No	Specifications	Pcs/Pack
5917 1010	1X18W TLD	10
5917 1030	2X18W TLD	10
5917 1020	1X36W TLD	10
5917 1040	2X36W TLD	10
5917 1620	4X14W TLD	10


Converter Kits





IP 20

Code No	Specifications	Pcs/Pack
5913 1090	18-36W Magnetic Ballast for Emergency Lighting Kit 1 Hour	10
5913 1120	18-36W Magnetic Ballast for Emergency Lighting Kit 3 Hour	10
5913 1580	18-36W Electronic Ballast for Emergency Lighting Kit 1 Hour	10
5913 1590	18-36W Electronic Ballast for Emergency Lighting Kit 3 Hour	10

LED Converter Kits



Power (W)	Dimensions (axbxcmm)
9W	85x56x38
18W	230x39x30




IP 20

Code No	Specifications	Pcs/Pack
5913 1470	12-110V LED Converter	100
5913 1480	9-60V LED Converter	100
5913 1460	9-18W LED Tube Converter	100



Pelsan Components


Timer Series Igniters



IP 20

Code No	Specifications	Pcs/Pack
3140 131	Timer Series 35-150W	10
3140 132	Timer Series 50-400W	10


Remote Igniter



IP 20

Code No	Specifications	Pcs/Pack
3140 107	35-150W (up to 25m)	10
3140 108	50-400W (up to 25m)	10
3140 141	600-1000W (up to 25m)	10


Starter



IP 20

Code No	Specifications	Pcs/Pack
3120 106	4-65W	25
3120 107	4-22W	25


Pendant Lampholder



IP 20

Code No	Specifications	Pcs/Pack
3170 131	Pelsan Pendant Lampholder E27	50
3170 133	Porcelain TIJ Set E27	50


Lampholders



IP 40

Code No	Specifications	Pcs/Pack
3110 120	GU10 Porcelain Lampholder	100
3110 201	GX5.3 Porcelain Lampholder	100
3110 122	G12 Porcelain Lampholder	100


Porcelain Lampholder



IP 40

Code No	Specifications	Pcs/Pack
3110 102	E14 Porcelain Lampholder	480
3110 112	E14 Porcelain Lampholder with Lammel	400
3110 103	E27 Porcelain Lampholder	400
3110 113	E27 Porcelain Lampholder with Lammel	400
3110 115	E40 Porcelain Lampholder	100


Pelsan Constant Current LED Drivers



IP 20

Code No	Specifications	Pcs/Pack
5918 1710	Pelsan Constant Current 400mA 25-63Vdc	100
5918 1610	Pelsan Constant Current 600mA 33-68 Vdc	100

Pelsan Constant Current LED Drivers




IP 20

Code No	Specifications	Pcs/Pack
5918 1720	Pelsan Constant Current 600mA 16-42 Vdc	100
5918 1730	Pelsan Constant Current 700mA 11-25 Vdc	100




Opaque Panel



IP 40

Code No	Specifications	Pcs/Pack
5921 1711	ABS Base Plate 200X300X120 mm Opaque Panel	1
5921 1721	ABS Base Plate 250X350X150 mm Opaque Panel	1
5921 1731	ABS Base Plate 300X400X180 mm Opaque Panel	1
5921 1741	ABS Base Plate 400X500X210mm Opaque Panel	1

Transparent Panel



IP 40

Code No	Specifications	Pcs/Pack
5921 1751	ABS Base Plate 200X300X120 mm Transparent Panel	1
5921 1761	ABS Base Plate 250X350X150 mm Transparent Panel	1
5921 1771	ABS Base Plate 300X400X180 mm Transparent Panel	1
5921 1781	ABS Base Plate 400x500x210 mm Transparent Panel	1




Pelsan Switches and Sockets

Keira Antibacterial Switch and Socket



Antibacterial K13



Code No	Specifications	Pcs/Pack
Switch Group		
5963 1001	Switch	120
5963 1002	Light	120
5963 1003	Door Switch	120
5963 1004	Door Bell	120
5963 1005	Two Gang Switch	120
5963 1006	Vavien	120
5963 1007	Permutator	120
5963 1008	Two Gang Switch Vavien	120
5963 1009	Jaluzi Switch	120
5963 1010	Water Heater Switch	120
5963 1011	Triple Switch	120
Socket Group		
5963 1014	Socket	120
5963 1015	Earthed Socket	120
5963 1016	Child Protected Earthed Socket	120
5963 1017	UPS Earthed Socket	120
5963 1018	UPS Child Protected Earthed Socket	120
5963 1019	Covered Earthed Socket	120
5963 1020	Child Protected Covered Earthed Socket	120
5963 1021	UPS Covered Earthed Socket	120
5963 1023	Double Socket White	100
5963 1024	Double Earthed Socket	70
TV/Radio Group		
5963 1030	Tv Socket Transitive 11db	120
5963 1031	Tv Socket Ended	120
5963 1032	Tv Socket Without Resistor	120
5963 1033	Satellite Socket F Connector Transitive 5db	120
5963 1034	Satellite Socket F Connector Ended	120
5963 1035	Tv-Radio Socket Transitive 11db "	120
5963 1036	Tv-Radio Socket Ended White	120
5963 1037	Tv-Sat Socket Transitive	120
5963 1038	Tv-Sat Socket Ended	120

Code No	Specifications	Pcs/Pack
Communication Group		
5963 1040	Telephone Socket	120
5963 1041	Numeris Telephone Socket (RJ11)	120
5963 1042	Double Numeris (RJ11)	120
5963 1043	Data-Numeris (RJ45CAT5-RJ11)	120
5963 1044	Data Socket (RJ45CAT5)	120
5963 1045	Double Data Socket (RJ45CAT5)	120
5963 1046	Data Without Jack	120
5963 1047	Data Socket (RJ45CAT6)	120
5963 1048	Double Data Socket (RJ45CAT6)	120
5963 1049	Data-Numeris (RJ45CAT6-RJ11)	120
5963 1050	Audio Socket Double	80
5963 1052	VGA Socket	80
5963 1059	Music Broadcast Switch	80
Dimmer Group		
5963 1055	Dimmer RI600W	80
5963 1056	Dimmer RI1000W	80
5963 1057	Dimmer Vavien 600W	80
5963 1058	Dimmer RC300W	80
Işıklı Switch Group		
5963 1070	Illuminated Switch	120
5963 1071	Illuminated Light	120
5963 1072	Illuminated Two Gang Switch	120
5963 1073	Illuminated Vavien	120
5963 1074	Illuminated Sticker Door Bell	120
5963 1075	Illuminated Dimmer RI600W	80
5963 1076	Illuminated Dimmer RI1000W	80
5963 1077	Illuminated Dimmer Vavien 600W	80
5963 1078	Illuminated Dimmer RC300W White	80
Çerçeveseler		
5963 1081	Double Frame Horizontal-Vertical	200
5963 1082	Triple Frame Horizontal-Vertical	150
5963 1083	Quadruple Frame Horizontal-Vertical	50
5963 1084	Quintet Frame Horizontal-Vertical	50
5963 1085	Six Frame Horizontal-Vertical	50




Configuration: Antibacterial K136




Switches and Sockets

Keira White Switch and Socket Series



White: K0

Keira Cream Switch and Socket Series



Cream: K21

Code No	Specifications	Pcs/Pack
Switch Group		
5963 1001	Switch	120
5963 1002	Light	120
5963 1003	Door Switch	120
5963 1004	Door Bell	120
5963 1005	Two Gang Switch	120
5963 1006	Vavien	120
5963 1007	Permutator	120
5963 1008	Two Gang Switch Vavien	120
5963 1009	Jaluzi Switch	120
5963 1010	Water Heater Switch	120
5963 1011	Triple Switch	120
Socket Group		
5963 1014	Socket	120
5963 1015	Earthed Socket	120
5963 1016	Child Protected Earthed Socket	120
5963 1017	UPS Earthed Socket	120
5963 1018	UPS Child Protected Earthed Socket	120
5963 1019	Covered Earthed Socket	120
5963 1020	Child Protected Covered Earthed Socket	120
5963 1021	UPS Covered Earthed Socket	120
5963 1023	Double Socket White	100
5963 1024	Double Earthed Socket	70
Tv/Radio Group		
5963 1030	Tv Socket Transitive 11db	120
5963 1031	Tv Socket Ended	120
5963 1032	Tv Socket Without Resistor	120
5963 1033	Satellite Socket F Connector Transitive 5db	120
5963 1034	Satellite Socket F Connector Ended	120
5963 1035	Tv-Radio Socket Transitive 11db *	120
5963 1036	Tv-Radio Socket Ended White	120
5963 1037	Tv-Sat Socket Transitive	120
5963 1038	Tv-Sat Socket Ended	120

Code No	Specifications	Pcs/Pack
Communication Group		
5963 1040	Telephone Socket	120
5963 1041	Numeris Telephone Socket (RJ11)	120
5963 1042	Double Numeris (RJ11)	120
5963 1043	Data-Numeris (RJ45CAT5-RJ11)	120
5963 1044	Data Socket (RJ45CAT5)	120
5963 1045	Double Data Socket (RJ45CAT5)	120
5963 1046	Data Without Jack	120
5963 1047	Data Socket (RJ45CAT6)	120
5963 1048	Double Data Socket (RJ45CAT6)	120
5963 1049	Data-Numeris (RJ45CAT6-RJ11)	120
5963 1050	Audio Socket Double	80
5963 1052	VGA Socket	80
5963 1059	Music Broadcast Switch	80
Dimmer Group		
5963 1055	Dimmer R1600W	80
5963 1056	Dimmer R11000W	80
5963 1057	Dimmer Vavien 600W	80
5963 1058	Dimmer RC300W	80
Illuminated Switch Group		
5963 1070	Illuminated Switch	120
5963 1071	Illuminated Light	120
5963 1072	Illuminated Two Gang Switch	120
5963 1073	Illuminated Vavien	120
5963 1074	Illuminated Sticker Door Bell	120
5963 1075	Illuminated Dimmer R1600W	80
5963 1076	Illuminated Dimmer R11000W	80
5963 1077	Illuminated Dimmer Vavien 600W	80
5963 1078	Illuminated Dimmer RC300W White	80
Frames		
5963 1081	Double Frame Horizontal-Vertical	200
5963 1082	Triple Frame Horizontal-Vertical	150
5963 1083	Quadruple Frame Horizontal-Vertical	50
5963 1084	Quintet Frame Horizontal-Vertical	50
5963 1085	Six Frame Horizontal-Vertical	50


Configuration: White: K0
Cream: K21






Pelsan Switches and Sockets

Keira Fume Switch and Socket Series



Fume: K25

Keira Satin Switch and Socket Series



Satin: K24

Code No	Specifications	Pcs/Pack
Switch Group		
5963 1001	Switch	120
5963 1002	Light	120
5963 1003	Door Switch	120
5963 1004	Door Bell	120
5963 1005	Two Gang Switch	120
5963 1006	Vavien	120
5963 1007	Permutator	120
5963 1008	Two Gang Switch Vavien	120
5963 1009	Jaluzi Switch	120
5963 1010	Water Heater Switch	120
5963 1011	Triple Switch	120
Socket Group		
5963 1014	Socket	120
5963 1015	Earthed Socket	120
5963 1016	Child Protected Earthed Socket	120
5963 1017	UPS Earthed Socket	120
5963 1018	UPS Child Protected Earthed Socket	120
5963 1019	Covered Earthed Socket	120
5963 1020	Child Protected Covered Earthed Socket	120
5963 1021	UPS Covered Earthed Socket	120
5963 1023	Double Socket White	100
5963 1024	Double Earthed Socket	70
TV/Radio Group		
5963 1030	Tv Socket Transitive 11db	120
5963 1031	Tv Socket Ended	120
5963 1032	Tv Socket Without Resistor	120
5963 1033	Satellite Socket F Connector Transitive 5db	120
5963 1034	Satellite Socket F Connector Ended	120
5963 1035	Tv-Radio Socket Transitive 11db "	120
5963 1036	Tv-Radio Socket Ended White	120
5963 1037	Tv-Sat Socket Transitive	120
5963 1038	Tv-Sat Socket Ended	120

Code No	Specifications	Pcs/Pack
Communication Group		
5963 1040	Telephone Socket	120
5963 1041	Numeris Telephone Socket (RJ11)	120
5963 1042	Double Numeris (RJ11)	120
5963 1043	Data-Numeris (RJ45CAT5-RJ11)	120
5963 1044	Data Socket (RJ45CAT5)	120
5963 1045	Double Data Socket (RJ45CAT5)	120
5963 1046	Data Without Jack	120
5963 1047	Data Socket (RJ45CAT6)	120
5963 1048	Double Data Socket (RJ45CAT6)	120
5963 1049	Data-Numeris (RJ45CAT6-RJ11)	120
5963 1050	Audio Socket Double	80
5963 1052	VGA Socket	80
5963 1059	Musik Broadcast Switch	80
Dimmer Group		
5963 1055	Dimmer Rİ600W	80
5963 1056	Dimmer Rİ1000W	80
5963 1057	Dimmer Vavien 600W	80
5963 1058	Dimmer RC300W	80
İşıkli Switch Group		
5963 1070	İlluminated Switch	120
5963 1071	İlluminated Light	120
5963 1072	İlluminated Two Gang Switch	120
5963 1073	İlluminated Vavien	120
5963 1074	İlluminated Sticker Door Bell	120
5963 1075	İlluminated Dimmer Rİ600W	80
5963 1076	İlluminated Dimmer Rİ1000W	80
5963 1077	İlluminated Dimmer Vavien 600W	80
5963 1078	İlluminated Dimmer RC300W White	80
Frames		
5963 1081	Double Frame Horizontal-Vertical	200
5963 1082	Triple Frame Horizontal-Vertical	150
5963 1083	Quadruple Frame Horizontal-Vertical	50
5963 1084	Quintet Frame Horizontal-Vertical	50
5963 1085	Six Frame Horizontal-Vertical	50






Switches and Sockets

Keira Cherry Switch and Socket Series



Kiraz: K23

Keira Oak Switch and Socket Series



Oak: K22

Code No	Specifications	Pcs/Pack
Switch Group		
5963 1001	Switch	120
5963 1002	Light	120
5963 1003	Door Switch	120
5963 1004	Door Bell	120
5963 1005	Two Gang Switch	120
5963 1006	Vavien	120
5963 1007	Permutator	120
5963 1008	Two Gang Switch Vavien	120
5963 1009	Jaluzi Switch	120
5963 1010	Water Heater Switch	120
5963 1011	Triple Switch	120
Socket Group		
5963 1014	Socket	120
5963 1015	Earthed Socket	120
5963 1016	Child Protected Earthed Socket	120
5963 1017	UPS Earthed Socket	120
5963 1018	UPS Child Protected Earthed Socket	120
5963 1019	Covered Earthed Socket	120
5963 1020	Child Protected Covered Earthed Socket	120
5963 1021	UPS Covered Earthed Socket	120
5963 1023	Double Socket White	100
5963 1024	Double Earthed Socket	70
TV/Radio Group		
5963 1030	Tv Socket Transitive 11db	120
5963 1031	Tv Socket Ended	120
5963 1032	Tv Socket Without Resistor	120
5963 1033	Satellite Socket F Connector Transitive 5db	120
5963 1034	Satellite Socket F Connector Ended	120
5963 1035	Tv-Radio Socket Transitive 11db *	120
5963 1036	Tv-Radio Socket Ended White	120
5963 1037	Tv-Sat Socket Transitive	120
5963 1038	Tv-Sat Socket Ended	120

Code No	Specifications	Pcs/Pack
Communication Group		
5963 1040	Telephone Socket	120
5963 1041	Numeris Telephone Socket (RJ11)	120
5963 1042	Double Numeris (RJ11)	120
5963 1043	Data-Numeris (RJ45CAT5-RJ11)	120
5963 1044	Data Socket (RJ45CAT5)	120
5963 1045	Double Data Socket (RJ45CAT5)	120
5963 1046	Data Without Jack	120
5963 1047	Data Socket (RJ45CAT6)	120
5963 1048	Double Data Socket (RJ45CAT6)	120
5963 1049	Data-Numeris (RJ45CAT6-RJ11)	120
5963 1050	Audio Socket Double	80
5963 1052	VGA Socket	80
5963 1059	Musik Broadcast Switch	80
Dimmer Group		
5963 1055	Dimmer Rİ600W	80
5963 1056	Dimmer Rİ1000W	80
5963 1057	Dimmer Vavien 600W	80
5963 1058	Dimmer RC300W	80
Işıklı Switch Group		
5963 1070	Illuminated Switch	120
5963 1071	Illuminated Light	120
5963 1072	Illuminated Two Gang Switch	120
5963 1073	Illuminated Vavien	120
5963 1074	Illuminated Sticker Door Bell	120
5963 1075	Illuminated Dimmer Rİ600W	80
5963 1076	Illuminated Dimmer Rİ1000W	80
5963 1077	Illuminated Dimmer Vavien 600W	80
5963 1078	Illuminated Dimmer RC300W White	80
Frames		
5963 1081	Double Frame Horizontal-Vertical	200
5963 1082	Triple Frame Horizontal-Vertical	150
5963 1083	Quadruple Frame Horizontal-Vertical	50
5963 1084	Quintet Frame Horizontal-Vertical	50
5963 1085	Six Frame Horizontal-Vertical	50

Configuration:





Pelsan Switches and Sockets

Keira Glass-Corion



Keira Marble Switch and Socket Series



Code No	Specifications	Pcs/Pack
Switch		
5963 1001	Switch	120
5963 1002	Light	120
5963 1003	Door Switch	120
5963 1004	Door Bell	120
5963 1005	Two Gang Switch	120
5963 1006	Vavien	120
5963 1007	Permutator	120
5963 1008	Two Gang Switch Vavien	120
5963 1009	Jaluzi Switch	120
5963 1010	Water Heater Switch	120
Socket Group		
5963 1014	Socket	120
5963 1015	Earthed Socket	120
5963 1016	Child Protected Earthed Socket	120
5963 1017	UPS Earthed Socket	120
5963 1018	UPS Child Protected Earthed Socket	120
5963 1019	Covered Earthed Socket	120
5963 1020	Child Protected Covered Earthed Socket	120
5963 1021	UPS Covered Earthed Socket	120
TV/Radio Group		
5963 1030	Tv Socket Transitive 11db	120
5963 1031	Tv Socket Ended	120
5963 1032	Tv Socket Without Restistor	120
5963 1033	Satellite Socket F Connector Transitive 5db	120
5963 1034	Satellite Socket F Connector Ended	120
5963 1035	Tv-Radio Socket Transitive 11db "	120
5963 1036	Tv-Radio Socket Ended White	120
5963 1037	Tv-Sat Socket Transitive	120
5963 1038	Tv-Sat Socket Ended	120

Code No	Specifications	Pcs/Pack
Communication Group		
5963 1040	Telephone Socket	120
5963 1041	Numeris Telephone Socket (RJ11)	120
5963 1042	Double Numeris (RJ11)	120
5963 1043	Data-Numeris (RJ45CAT5-RJ11)	120
5963 1044	Data Socket (RJ45CAT5)	120
5963 1045	Double Data Socket (RJ45CAT5)	120
5963 1046	Data Without Jack	120
5963 1047	Data Socket (RJ45CAT6)	120
5963 1048	Double Data Socket (RJ45CAT6)	120
5963 1049	Data-Numeris (RJ45CAT6-RJ11)	120
5963 1050	Audio Socket Double	80
5963 1052	VGA Socket	80
5963 1059	Musıc Broadcast Switch	80
Dimmer Group		
5963 1055	Dimmer Rİ600W	80
5963 1056	Dimmer Rİ1000W	80
5963 1057	Dimmer Vavien 600W	80
5963 1058	Dimmer RC300W	80
Işıklı Switch Group		
5963 1070	Illuminated Switch	120
5963 1071	Illuminated Light	120
5963 1072	Illuminated Two Gang Switch	120
5963 1073	Illuminated Vavien	120
5963 1074	Illuminated Sticker Door Bell	120
5963 1075	Illuminated Dimmer Rİ600W	80
5963 1076	Illuminated Dimmer Rİ1000W	80
5963 1077	Illuminated Dimmer Vavien 600W	80
5963 1078	Illuminated Dimmer RC300W White	80
Frames		
5963 1081	Double Frame Horizontal-Vertical	200
5963 1082	Triple Frame Horizontal-Vertical	150





Switches and Sockets

Onyx White Switch and Socket Series



White: K0

Onyx Cream Switch and Socket Series



Cream: K21

Code No	Specifications	Pcs/Pack
Switch Group		
5963 3001	Switch	120
5963 3002	Light	120
5963 3003	Door Switch	120
5963 3004	Door Bell	120
5963 3005	Two Gang Switch	120
5963 3006	Vavien	120
5963 3007	Permutator	120
5963 3008	Two Gang Switch Vavien	120
5963 3009	Jaluzi Switch	120
5963 3010	Water Heater Switch	120
5963 3011	Triple Switch	120
Socket Group		
5963 3014	Socket	120
5963 3015	Earthed Socket	120
5963 3016	Child Protected Earthed Socket	120
5963 3017	UPS Earthed Socket	120
5963 3018	UPS Child Protected Earthed Socket	120
5963 3019	Covered Earthed Socket	120
5963 3020	Child Protected Covered Earthed Socket	120
5963 3021	UPS Covered Earthed Socket	120
5963 3023	Double Socket White	100
5963 3024	Double Earthed Socket	70
TV/Radio Group		
5963 3030	Tv Socket Transitive 11db	120
5963 3031	Tv Socket Ended	120
5963 3032	Tv Socket Without Resistor	120
5963 3033	Satellite Socket F Connector Transitive 5db	120
5963 3034	Satellite Socket F Connector Ended	120
5963 3035	Tv-Radio Socket Transitive 11db "	120
5963 3036	Tv-Radio Socket Ended White	120
5963 3037	Tv-Sat Socket Transitive	120
5963 3038	Tv-Sat Socket Ended	120

Code No	Specifications	Pcs/Pack
Communication Group		
5963 3040	Telephone Socket	120
5963 3041	Numeris Telephone Socket (RJ11)	120
5963 3042	Double Numeris (RJ11)	120
5963 3043	Data-Numeris (RJ45CAT5-RJ11)	120
5963 3044	Data Socket (RJ45CAT5)	120
5963 3045	Double Data Socket (RJ45CAT5)	120
5963 3046	Data Without Jack	120
5963 3047	Data Socket (RJ45CAT6)	120
5963 3048	Double Data Socket (RJ45CAT6)	120
5963 3049	Data-Numeris (RJ45CAT6-RJ11)	120
5963 3050	Audio Socket Double	80
5963 3052	VGA Socket	80
5963 3059	Musik Broadcast Switch	80
Dimmer Group		
5963 3055	Dimmer Rİ600W	80
5963 3056	Dimmer Rİ1000W	80
5963 3057	Dimmer Vavien 600W	80
5963 3058	Dimmer RC300W	80
Işıklı Switch Group		
5963 3070	Illuminated Switch	120
5963 3071	Illuminated Light	120
5963 3072	Illuminated Two Gang Switch	120
5963 3073	Illuminated Vavien	120
5963 3074	Illuminated Sticker Door Bell	120
5963 3075	Illuminated Dimmer Rİ600W	80
5963 3076	Illuminated Dimmer Rİ1000W	80
5963 3077	Illuminated Dimmer Vavien 600W	80
5963 3078	Illuminated Dimmer RC300W White	80
Frames		
5963 3081	Double Frame Horizontal-Vertical	200
5963 3082	Triple Frame Horizontal-Vertical	150
5963 3083	Quadruple Frame Horizontal-Vertical	50
5963 3084	Quintet Frame Horizontal-Vertical	50
5963 3085	Six Frame Horizontal-Vertical	

Configuration: White: K0
Cream: K21





Pelsan Switches and Sockets

Onyx Fume Switch and Socket Series



Fume: K25

Onyx Satin Switch and Socket Series



Satin: K24

Code No	Specifications	Pcs/Pack
Switch Group		
5963 3001	Switch	120
5963 3002	Light	120
5963 3003	Door Switch	120
5963 3004	Door Bell	120
5963 3005	Two Gang Switch	120
5963 3006	Vavien	120
5963 3007	Permutator	120
5963 3008	Two Gang Switch Vavien	120
5963 3009	Jaluzi Switch	120
5963 3010	Water Heater Switch	120
5963 3011	Triple Switch	120
Socket Group		
5963 3014	Socket	120
5963 3015	Earthed Socket	120
5963 3016	Child Protected Earthed Socket	120
5963 3017	UPS Earthed Socket	120
5963 3018	UPS Child Protected Earthed Socket	120
5963 3019	Covered Earthed Socket	120
5963 3020	Child Protected Covered Earthed Socket	120
5963 3021	UPS Covered Earthed Socket	120
5963 3023	Double Socket White	100
5963 3024	Double Earthed Socket	70
TV/Radio Group		
5963 3030	Tv Socket Transitive 11db	120
5963 3031	Tv Socket Ended	120
5963 3032	Tv Socket Without Resistor	120
5963 3033	Satellite Socket F Connector Transitive 5db	120
5963 3034	Satellite Socket F Connector Ended	120
5963 3035	Tv-Radio Socket Transitive 11db "	120
5963 3036	Tv-Radio Socket Ended White	120
5963 3037	Tv-Sat Socket Transitive	120
5963 3038	Tv-Sat Socket Ended	120

Code No	Specifications	Pcs/Pack
Communication Group		
5963 3040	Telephone Socket	120
5963 3041	Numeris Telephone Socket (RJ11)	120
5963 3042	Double Numeris (RJ11)	120
5963 3043	Data-Numeris (RJ45CAT5-RJ11)	120
5963 3044	Data Socket (RJ45CAT5)	120
5963 3045	Double Data Socket (RJ45CAT5)	120
5963 3046	Data Without Jack	120
5963 3047	Data Socket (RJ45CAT6)	120
5963 3048	Double Data Socket (RJ45CAT6)	120
5963 3049	Data-Numeris (RJ45CAT6-RJ11)	120
5963 3050	Audio Socket Double	80
5963 3052	VGA Socket	80
5963 3059	Musc Broadcast Switch	80
Dimmer Group		
5963 3055	Dimmer R1600W	80
5963 3056	Dimmer R11000W	80
5963 3057	Dimmer Vavien 600W	80
5963 3058	Dimmer RC300W	80
Işıkli Switch Group		
5963 3070	Illuminated Switch	120
5963 3071	Illuminated Light	120
5963 3072	Illuminated Two Gang Switch	120
5963 3073	Illuminated Vavien	120
5963 3074	Illuminated Sticker Door Bell	120
5963 3075	Illuminated Dimmer R1600W	80
5963 3076	Illuminated Dimmer R11000W	80
5963 3077	Illuminated Dimmer Vavien 600W	80
5963 3078	Illuminated Dimmer RC300W White	80
Frames		
5963 3081	Double Frame Horizontal-Vertical	200
5963 3082	Triple Frame Horizontal-Vertical	150
5963 3083	Quadruple Frame Horizontal-Vertical	50
5963 3084	Quintet Frame Horizontal-Vertical	50
5963 3085	Six Frame Horizontal-Vertical	50



Configuration: Fume: K25
Satin: K24




Switches and Sockets

Onyx Kiraz Switch and Socket Series



Kiraz: K23

Onyx Oak Switch and Socket Series



Oak: K22

Code No	Specifications	Pcs/Pack
Switch Group		
5963 3001	Switch	12C
5963 3002	Light	12C
5963 3003	Door Switch	12C
5963 3004	Door Bell	12C
5963 3005	Two Gang Switch	12C
5963 3006	Vavien	12C
5963 3007	Permutator	12C
5963 3008	Two Gang Switch Vavien	12C
5963 3009	Jaluzi Switch	12C
5963 3010	Water Heater Switch	12C
5963 3011	Triple Switch	12C
Socket Group		
5963 3014	Socket	12C
5963 3015	Earthed Socket	12C
5963 3016	Child Protected Earthed Socket	12C
5963 3017	UPS Earthed Socket	12C
5963 3018	UPS Child Protected Earthed Socket	12C
5963 3019	Covered Earthed Socket	12C
5963 3020	Child Protected Covered Earthed Socket	12C
5963 3021	UPS Covered Earthed Socket	12C
5963 3023	Double Socket White	10C
5963 3024	Double Earthed Socket	7C
TV/Radio Group		
5963 3030	Tv Socket Transitive 11db	12C
5963 3031	Tv Socket Ended	12C
5963 3032	Tv Socket Without Resistor	12C
5963 3033	Satellite Socket F Connector Transitive 5db	12C
5963 3034	Satellite Socket F Connector Ended	12C
5963 3035	Tv-Radio Socket Transitive 11db "	12C
5963 3036	Tv-Radio Socket Ended White	12C
5963 3037	Tv-Sat Socket Transitive	12C
5963 3038	Tv-Sat Socket Ended	12C

Code No	Specifications	Pcs/Pack
Communication Group		
5963 3040	Telephone Socket	120
5963 3041	Numeris Telephone Socket (RJ11)	120
5963 3042	Double Numeris (RJ11)	120
5963 3043	Data-Numeris (RJ45CAT5-RJ11)	120
5963 3044	Data Socket (RJ45CAT5)	120
5963 3045	Double Data Socket (RJ45CAT5)	120
5963 3046	Data Without Jack	120
5963 3047	Data Socket (RJ45CAT6)	120
5963 3048	Double Data Socket (RJ45CAT6)	120
5963 3049	Data-Numeris (RJ45CAT6-RJ11)	120
5963 3050	Audio Socket Double	80
5963 3052	VGA Socket	80
5963 3059	Music Broadcast Switch	80
Dimmer Group		
5963 3055	Dimmer R1600W	80
5963 3056	Dimmer R11000W	80
5963 3057	Dimmer Vavien 600W	80
5963 3058	Dimmer RC300W	80
Işıklı Switch Group		
5963 3070	Illuminated Switch	120
5963 3071	Illuminated Light	120
5963 3072	Illuminated Two Gang Switch	120
5963 3073	Illuminated Vavien	120
5963 3074	Illuminated Sticker Door Bell	120
5963 3075	Illuminated Dimmer R1600W	80
5963 3076	Illuminated Dimmer R11000W	80
5963 3077	Illuminated Dimmer Vavien 600W	80
5963 3078	Illuminated Dimmer RC300W White	80
Frames		
5963 3081	Double Frame Horizontal-Vertical	200
5963 3082	Triple Frame Horizontal-Vertical	150
5963 3083	Quadruple Frame Horizontal-Vertical	50
5963 3084	Quintet Frame Horizontal-Vertical	50
5963 3085	Six Frame Horizontal-Vertical	50





Pelsan Group Sockets

Urla

Child Protected Earthed Group Socket Series



Code No	Specifications	Pcs/Pac
Urla Child Protected		
5951 4433	Three Gang 2m Child Protected	4
5951 4533	Three Gang 3m Child Protected	4
5951 4633	Three Gang 5m Child Protected	2
Urla Child Protected		
5951 4455	Five Gang 2m Child Protected	3
5951 4555	Five Gang 3m Child Protected	3
5951 4655	Five Gang 5m Child Protected	2
Urla Switch Child Protected		
5951 4733	Three Gang Switch 2m Child Protected	4
5951 4833	Three Gang Switch 3m Child Protected	4
5951 4933	Three Gang Switch 5m Child Protected	2
Urla Switch Child Protected		
5951 4755	Five Gang Switch 2m Child Protected	3
5951 4855	Five Gang Switch 3m Child Protected	3
5951 4955	Five Gang Switch 5m Child Protected	2

UPS

Group Socket Series



Code No	Specifications	Pcs/Pack
UPS Çeşme		
5951 1633	Three Gang UPS Series Socket (klemensli)	100
5951 1733	Three Gang UPS Series Socket (2m)	36
5951 1833	Three Gang UPS Series Socket (3m)	36
5951 1933	Three Gang UPS Series Socket (5m)	24
UPS Çeşme		
5951 1644	4lü UPS Series (klemensli)	100
5951 1744	4lü UPS Series Socket (2m)	36
5951 1844	4lü UPS Series Socket (3m)	36
5951 1944	4lü UPS Series Socket (5m)	24
UPS Çeşme		
5951 1666	Six Gang UPS Series Socket (klemensli)	100
5951 1766	Six Gang UPS Series Socket (2m)	36
5951 1866	Six Gang UPS Series Socket (3m)	36
5951 1966	Six Gang UPS Series Socket (5m)	24
UPS Foça Switch		
5951 2955	Five Gang UPS Series Socket (klemensli)	100
5951 2965	Five Gang UPS Series Socket (2m)	36
5951 2975	Five Gang UPS Series Socket (3m)	36
5951 2985	Five Gang UPS Series Socket (5m)	24





Group Sockets

Çeşme

Group Socket Series



Code No	Specifications	Pcs/Pack
5951 1012	Two Gang klemensli	100
5951 1023	Three Gang klemensli	100
5951 1034	4'lü klemensli	100
5951 1045	Five Gang klemensli	100
5951 1056	Six Gang klemensli	100
5951 1112	Two Gang 2 m with Cable	48
5951 1123	Three Gang 2 m with Cable	48
5951 1134	4'lü 2 m with Cable	36
5951 1145	Five Gang 2 m with Cable	36
5951 1156	Six Gang 2 m with Cable	36
5951 1212	Two Gang 3 m with Cable	48
5951 1223	Three Gang 3 m with Cable	48
5951 1234	4'lü 3 m with Cable	36
5951 1245	Five Gang 3 m with Cable	36
5951 1256	Six Gang 3 m with Cable	36
5951 1312	Two Gang 5 m with Cable	24
5951 1323	Three Gang 5 m with Cable	24
5951 1334	4'lü 5 m with Cable	24
5951 1345	Five Gang 5 m with Cable	24
5951 1356	Six Gang 5 m with Cable	24

Foça

Switched Group Socket Series



Code No	Specifications	Pcs/Pack
5951 3022	Two Gang klemensli Switch	100
5951 3033	Three Gang klemensli Switch	100
5951 3044	4'lü klemensli Switch	100
5951 3055	Five Gang klemensli Switch	100
5951 3066	Six Gang klemensli Switch	50
5951 3122	Two Gang 2 m with Cable Switch	48
5951 3133	Three Gang 2 m with Cable Switch	48
5951 3144	4'lü 2 m with Cable Switch	36
5951 3155	Five Gang 2 m with Cable Switch	36
5951 3166	Six Gang 2 m with Cable Switch	36
5951 3222	Two Gang 3 m with Cable anahtar	48
5951 3233	Three Gang 3 m with Cable Switch	48
5951 3244	4'lü 3 m with Cable Switch	36
5951 3255	Five Gang 3 m with Cable Switch	36
5951 3266	Six Gang 3 m with Cable Switch	36
5951 3322	Two Gang 5 m with Cable Switch	24
5951 3333	Three Gang 5 m with Cable Switch	24
5951 3344	4'lü 5 m with Cable Switch	24
5951 3355	Five Gang 5 m with Cable Switch	24
5951 3366	Six Gang 5 m with Cable Switch	24





Pelsan Group Sockets & Accessories

Voltage Protected Earthed Grup Socket



Accessories



Plugs



Extensions



Code No	Specifications	Pcs/Pack
5951 9980	Voltage Protected Six Gang Black	20

Code No	Specifications	Pcs/Pack
5951 1410	Unearthed Erkek Plug	1000
5951 1420	Earthed Erkek Plug	500
5951 1430	Earthed Dişi Plug	250
5951 1450	Earthed L Typeplug	500

Code No	Specifications	Pcs/Pack
5951 1063	Plug Socket Trio	100
5951 1074	Plug Socket Quad	100
5951 1083	Plug Socket Trio	100

Kod No	Specifications	Pcs/Pack
5951 1510	Earthed Extension 3mt 3x1.0 Mm	50
5951 1520	Earthed Extension 5mt 3x1.0 Mm	50
5951 1530	Earthed Extension 10mt 3x1.5 Mm	25





Pelsan Notes

Lined area for notes with horizontal ruling lines.

100



Lined area for notes, consisting of multiple horizontal lines.



ATEX Certificate

IEP ENERGY PETROLEUM INSTITUTE

IEP ATEX

(1) **EU- Internal Production Control Certificate**

(2) **Equipment or Protective Systems Intended for use in Potentially Explosive Atmospheres**

Directive 2014/34/EU

(3) EU – Internal Production Control Certificate Number: **IEP 16 ATEX 0468**

(4) Product: **Led lighting fixtures, Pelsan xy series**

(5) Firm Name: **PELSAN AYDINLATMA SANAYİ VE TİCARET A.Ş.**

(6) Firm Address: **İmes Sanayi Sitesi A Blok 101 Sokak No:38 Dudullu (Ümraniye - İSTANBUL) TURKEY**

(7) This product any of acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) The IEP Ulaştırma Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyonu Tic. Ltd. Şti., notified body number 2284 in accordance with Article 17 of the Directive 2014/34/EU of European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres, given in Annex IV/III to the Directive. The examination and test results are recorded in confidential Report Nr. IEP-İp-Ex-16-1007 date 18.11.2016.

(9) Compliance with Essential Health and safety requirements has been assured by compliance with:

EN 60079-0 ; 2012, EN 60079-15 ; 2010, EN 60079-31 ; 2009

(10) If the sign "X" is placed after the certificate number, it indicates that the product is subject to Specified Conditions of Safe Use specified in the schedule to this certificate.

(11) This EU-Internal Production Control Certificate relates only to the design and construction of the specified product in accordance to the directive 2014/34/EU. Further requirements of the directive apply to the manufacturing process and supply of this product. These are not covered by this certificate. Validity date 10 year. If standard or product change, this certificate is invalid.

(12) The marking of the equipment or protective system shall include the following:

II 3G Ex nR IIC TS Ge
II 3D Ex tc IIC (T 95 °C) Dc

Responsible Person :
Nurgün Terzioğlu
Head of Certification Body

Date of Issue : **22.11.2016**

IEP Ulaştırma Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyonu Tic. Ltd. Şti. 57461 Sok. No:9 K:2 Beşiktaş - EĞİR / TÜRKİYE
Tel: +90 232 431 17 43 - 46 Fax: +90 232 431 17 30 E-mail: iletisim@iep.org.tr F: 65
This certificate is granted subject to the general conditions of the IEP Energy Petroleum Institute. This certificate may only be reproduced in its entirety and without any change, without inclusion. You can check accuracy of this document by www.iep.org.tr
Page | 1 / 2

IEP ENERGY PETROLEUM INSTITUTE

(13) Schedule

(14) Certificate Nr: **IEP 16 ATEX 0468**

(15) Description of Equipment Protective System:

The Led lighting fixtures, Pelsan xy series designed as an floodlights, high bay and canopy are mounting type of electrical device. Led lighting fixtures, Pelsan xy series made from according to Aluminium. Led lighting fixtures, Pelsan xy series is equipped with cable gland d or e type. To must be used of ground cable 4 mm² (min) and HD 21.13.S1/HD 22.4.S4 Led lighting fixtures have been evaluated in the contents of IP 66.Led lighting fixtures use as zone 2 and 22 that be used danger area determined in the EN 60079-10-1 and EN 60079-10-2 standard.

Technical Parameters: Led lighting fixtures, Pelsan xy series

Type	Power (W)
Profile	50, 75, 100, 125, 150
Straight	50, 75, 100, 125, 150
Naïve	50, 75, 100, 125, 150
Operating Voltage	230 V.A.C. 50 / 60 Hz
Operating Temperature	(-20 ~ +50) °C

Led lighting fixtures Product Code System

Pelsan X Y
Power (50, 75, 100, 125, 150)
Model; Profile, S, Naïve (Accessory)
Mark

(16) This certificate is in the contents of standards that mentioned in item [9] It has been accepted that Led lighting fixtures is manufactured according to the producer instructions and the standards mentioned above.

(17) Information's of mounting instruction manual of 4 pages approved and date 08.02.2016.

(18) List of Documentation:

Drawing Nr :	Drawing Name :	Date :
PLS-01	Frame	25.01.2016
PLS-02	Body Aluminium	25.01.2016
PLS-03	Plastic Driver Cover	25.01.2016
PLS-04	Screw Cross Section	25.01.2016
PLS-05	Exploded Drawing	25.01.2016
PLS-06	Assembly	25.01.2016
PLS-07	Plastic Reflector	25.01.2016
PLS-08	Roof Connection	25.01.2016

Part inside of Led lighting fixtures, Pelsan xy series indicated in the part list and equipment list, table 1 dated 08.02.2016.

Responsible Person :
Nurgün Terzioğlu
Head of Certification Body

Date of Issue : **22.11.2016**

IEP Ulaştırma Enerji Petrol Gözetim, Sertifikasyon ve Teknik Hizmetler Organizasyonu Tic. Ltd. Şti. 57461 Sok. No:9 K:2 Beşiktaş - EĞİR / TÜRKİYE Tel: +90 232 431 17 43 - 46 Fax: +90 232 431 17 30 E-mail: iletisim@iep.org.tr F:65
This certificate is granted subject to the general conditions of the IEP Energy Petroleum Institute. This certificate may only be reproduced in its entirety and without any change, without inclusion. You can check accuracy of this document by www.iep.org.tr
Page | 2 / 2

Pelsan Ex-proof luminaires can be safely used in potentially explosive environments where hazardous gas and dust are present

Turkish Accreditation Institution

TÜRKAK TÜRK AKREDİTASYON KURUMU

AKREDİTASYON SERTİFİKASI

Deney Laboratuvarı olarak faaliyeti gösteren.

PELSAN AYDINLATMA SANAYİ VE TİCARET A.Ş.
Pelsan Aydınlatma Laboratuvarı
Emek Mah. Nato Yolu Cad. No:280 Sancaktepe
34785 İSTANBUL / TÜRKİYE

TÜRKAK tarafından yapılan denetim sonucunda TS EN ISO/IEC 17025:2012 Standardına göre Ek'te yer alan kapsamlarda akredite edilmiştir.

Akreditasyon No : **AB-0795-T**
Akreditasyon Tarihi : **28 Nisan 2015**

Bu Sertifika, yukarıda açık adı ve adresi yazılı Kuruluşun TS EN ISO/IEC 17025:2012 Standardına, ilgili Yönetmelik ve Tebliğlere uygunluğunu sürdürmesi halinde, **27 Nisan 2019** tarihine kadar geçerlidir.

Dr. H. İbrahim ÇETİN
Genel Sekreter

We certificate all lighting products with our accredited laboratory

Lighting Company of the Year 2016 in Turkey



www.pelsan.com.tr

export@pelsan.com.tr



HEAD OFFICE

İmes Sanayi Sitesi A Blok 101 Sokak No: 38 Y. Dudullu / İstanbul / TURKEY
Phone: (0850) 460 75 76 Fax: (0216) 364 60 15

FACTORY

Cerkeşli OSB İmes 5 Cad. 400 Ada 6 Parsel No:12 Dilovası / İzmit / TURKEY
Phone: (0850) 460 75 76 Fax: (0216) 364 60 15

All Prices exclude VAT.

Pelsan Aydınlatma reserves the right to make changes to prices and products.

